



2018

HS **SPRENGER**
GERMANY
DOG EQUIPMENT

TRAINING



MADE IN GERMANY

Quality, that performs

■ Product marking

“Made in Germany” will be defined by stamping the material with HS-GERMANY and INOX or CUROGAN on every ring of all SPRENGER collars. In addition ULTRA-plates, swivels, toggles and hooks are also stamped with the quality seals “HS” or “SPRENGER”. A collar without the marking “HS-GERMANY” on the rings is without doubt not a SPRENGER made product.

■ Guaranteed breaking loads

An electronic surveillance of the welding operation and the inspection of the tensile strength are part of the operational procedure as well as permanent documentation of the results. Each material and wire gauge has individual parameters whereby strict observation ensures the required strength is achieved. Due to that operational process SPRENGER is in the position to state guaranteed breaking loads for all chains and collars.

■ „Quality, that performs“

...represents more than just a strapline for SPRENGER.

This slogan reflects the quality awareness of the SPRENGER staff in order to meet the requirements and expectations of the advanced dog owner.

The high quality products made by SPRENGER are achieved through a variety of trades in combination with a large quantity of modern and classic machinery and equipment. The final inspection and packaging of the finished product is a critical part of the normal daily function with the result that, in contrast to bulk production methods, the finished products will come in touch with the hands of a person.

The significance of SPRENGER’s quality awareness is not only directed towards the products, but also for delivery and customer service at a high level to give you the confidence in having a reliable business partner in order to include you amongst our loyal customers.

Your SPRENGER Sales-Team:

Petra Oppermann
 Sales Manager
 Phone: +49 (0) 2371-9559-940
 oppermann@sprenger.de

Mirko Ritter
 Sales Export: Near-, Middle- and Far East,
 North America, Canada, Turkey
 Phone: +49 (0) 2371-9559-942
 ritter@sprenger.de

Judith Neuhaus-Wever
 Sales Germany: ZIP 0.... - 39...
 Sales Export: Central- & South America,
 Scandinavia, Switzerland, France, Southern
 Europe, Iceland, Great Britain, Australia,
 New Zealand, Africa
 Phone: +49 (0) 2371-9559-943
 neuhaus@sprenger.de

Margarita Kulagin
 Sales Germany: ZIP 40... - 99...
 Sales Export: BeNeLux, Eastern Europe,
 Austria, Russia
 Phone: +49 (0) 2371-9559-945
 kulagin@sprenger.de

■ Herm. Sprenger Metallwarenfabrik

In 1872 Hermann Sprenger founded a factory for riding accessories. In the course of the years his successors added the manufacture of boat fittings and dog accessories. Decades of experience in manufacturing, an extensive market knowledge and the collaboration with professionals from the fields of dog training, medicine and research constitute the basis for the development of international standards.



| | |
|---|--------------|
| STAINLESS STEEL | 5-12 |
| ULTRA-PLUS Training Collars..... | 6-8 |
| NeckTech..... | 9 |
| Show Collars | 10 |
| Long Link Collars..... | 11-12 |
| | |
| STAINLESS STEEL BLACK..... | 13-16 |
| ULTRA-PLUS Training Collars..... | 14 |
| NeckTech..... | 15 |
| Show Collar | 15 |
| Long Link Collars..... | 16 |
| | |
| CUROGAN..... | 17-20 |
| ULTRA-PLUS Training Collars..... | 18 |
| NeckTech..... | 19 |
| Show Collar | 19 |
| Long Link Collars..... | 20 |
| | |
| STEEL..... | 21-24 |
| ULTRA-PLUS Training Collars..... | 22 |
| Long Link Collars..... | 24 |
| | |
| ACCESSORIES | 25-30 |
| Rubberized Leashes..... | 26-27 |
| Accessories for ULTRA-PLUS Training Collars | 27 |
| Retrieving Toys, Silent Whistles..... | 28 |
| Signal Horn, Run Block..... | 29-30 |



HS SPRENGER
SAFETY END

ULTRA  **PLUS**

TRAINING COLLARS

- For the benefit of all dogs, it is SPRENGER's big ambition that their products will only enter into professional and responsible-minded hands.
- SPRENGER ULTRA-PLUS training collars are recommended by state-licensed and accredited instructors.
- Training collars made by SPRENGER are a sensible and also sensitive training aid which provide a tool for optimized communication with the dog.
- SPRENGER guarantees utilization of high premium material and workmanship with consistent quality.
- ULTRA-PLUS stands for the middle plate and the synchronous arranged middle links with well rounded "SAFETY ENDS".



QUALITY WITH TRADITION

High quality dog collars made of stainless steel

The numerous advantages of this quality are the reason why dog sportsmen and professional instructors rely on chains made of stainless steel.

Special processing steps in the production flow, as well as material selection, produce properties such as seawater resistance, robustness and safety.

When purchasing a stainless steel product, pay attention to our metal tag with the red dot, as well as the **HS-GERMANY INOX-stamp** on all rings and swivels, which gives you the described premium quality from SPRENGER.

- solid material - polished
- absolutely rustproof
- seawater-resistant
- high strengths
- maintenance with our Diamond Paste (metal polishing)
- Further dog collars of this quality can be found in our main catalog.



STAINLESS STEEL

STAINLESS STEEL



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

stainless steel



Feature: 1 ring

- safe and easy to apply due to the ClicLock
- quick and pinpoint influence

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50037 010 55 | 40 cm | 2.25 mm | 20 kg |
| 50037 014 55 | 52 cm | 2.25 mm | 20 kg |
| 50007 010 55 | 52 cm | 3.20 mm | 40 kg |
| 50047 010 55 | 60 cm | 4.00 mm | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

stainless steel



Feature: 2 rings

- centered leash attachment by clapping the hook of the leash into both rings

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50039 010 55 | 40 cm | 2.25 mm | 20 kg |
| 50029 010 55 | 52 cm | 3.20 mm | 40 kg |
| 50049 010 55 | 60 cm | 4.00 mm | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

stainless steel



Feature: 2 rings and restriction

- training with or without restriction is possible by choosing the respective ring for attaching the leash

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50036 010 55 | 40 cm | 2.25 mm | 20 kg |
| 50026 010 55 | 52 cm | 3.20 mm | 40 kg |



ULTRA-PLUS Training Collar with Center-Plate and Webbing Handle

stainless steel



Feature: with ClicLock (stainless steel) and 2 rings

- retrieving aid: recommended by Knut Fuchs
- book tip: Retrieving from A-Z
- strong short leash for walking tall dogs

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50011 010 55 | 54 cm | 3.20 mm | 40 kg |

ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

stainless steel



Feature: 2 rings

- classic version for professional dog training

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50035 010 55 | 41 m | 2.25 mm | 20 kg | 2.00 mm |
| 50004 010 55 | 58 cm | 3.20 mm | 40 kg | 3.00 mm |
| 50045 010 55 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |



STAINLESS STEEL

ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

stainless steel



Feature: 1 ring and swivel

- more flexibility between the dog collar and the leash due to the swivel
- classic version for professional dog training

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50135 010 55 | 41 cm | 2.25 mm | 20 kg | 2.00 mm |
| 50105 010 55 | 58 cm | 3.20 mm | 40 kg | 3.00 mm |
| 50145 010 55 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

stainless steel



Feature: swivel and snap hook

- more flexibility between the dog collar and the leash due to the swivel
- classic version for professional dog training
- Quick release by using snap hook 60490

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50103 010 55 | 58 cm | 3.20 mm | 40 kg | 3.00 mm |
| 50143 010 55 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |




Middle Links for Lengthening

stainless steel



| Article number | Length | Wire gauge |
|----------------|--------|------------|
| 50530 000 55 | 3 cm | 2.25 mm |
| 50500 000 55 | 4 cm | 3.20 mm |
| 50540 000 55 | 5 cm | 4.00 mm |



STAINLESS STEEL



ULTRA-PLUS Training Collar

stainless steel



- Feature:** snap-hook 60490 and 2 rings
- extremely easy handling
 - very gentle to the fur

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50104 010 55 | 58 cm | 3.20 mm | 40 kg |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

stainless steel matt



- Feature:** swivel and snap hook
- stained, unpolished
 - Special version: each middle link with welded-on cross bar
 - protection against unintentional opening
 - not adjustable

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50109 008 55 | 52 cm | 3.20 mm | 40 kg | 3.00 mm |
| 50109 010 55 | 58 cm | 3.20 mm | 40 kg | 3.00 mm |
| 50109 012 55 | 65 cm | 3.20 mm | 40 kg | 3.00 mm |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

stainless steel



- Feature:** 1 ring
- for high professional training
 - appr. 90% influence around the neck through four additional middle links and the direct connection of ClicLock and links

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50138 014 55 | 40 cm | 2.25 mm | 20 kg |
| 50108 014 55 | 58 cm | 3.20 mm | 40 kg |

NeckTech Sport with ClicLock

stainless steel



Feature: 1 ring

- safe and easy to apply due to the ClicLock
- quick and pinpoint influence

| Article number | Length | For dogs up to |
|----------------|--------|----------------|
| 50050 010 55 | 48 cm | 65 kg |
| 50050 014 55 | 60 cm | 65 kg |



STAINLESS STEEL

NeckTech Sport with Assembly Chain

stainless steel



Feature: 1 ring, swivel and snap hook with screwing

- more flexibility between the dog collar and the leash due to the swivel
- classic version for professional dog training

| Article number | Length | For dogs up to | Ø Chain |
|----------------|--------|----------------|---------|
| 50155 010 55 | 48 cm | 65 kg | 3.00 mm |
| 50155 014 55 | 60 cm | 65 kg | 3.00 mm |



Single Elements NeckTech Sport

stainless steel



- for lengthening of the NeckTech Sport
- Scope of delivery: 2 pcs. on self-service card

| Article number | Length | Width |
|----------------|--------|-------|
| 50505 000 55 | 3 cm | 20 mm |



NeckTech Sport with ClicLock

stainless steel matt



Feature: 1 ring

- safe and easy to apply due to the ClicLock
- quick and pinpoint influence

| Article number | Length | For dogs up to |
|----------------|--------|----------------|
| 50050 010 65 | 48 cm | 65 kg |
| 50050 014 65 | 60 cm | 65 kg |



Single Elements NeckTech Sport

stainless steel matt



- for lengthening of the NeckTech Sport
- Scope of delivery: 2 pcs. on self-service card

| Article number | Length | Width |
|----------------|--------|-------|
| 50505 000 65 | 3 cm | 20 mm |



STAINLESS STEEL



Show Collar - Standard

stainless steel



Feature: chain 51506

- special collar preferentially used for training resp. exam preparation

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 51508 056 55 | 56 cm | 3.00 mm | 60 kg |
| 51508 064 55 | 64 cm | 3.00 mm | 60 kg |
| 51508 072 55 | 72 cm | 3.00 mm | 60 kg |



Show Collar - Impulse+

stainless steel



Feature: chain 51506

- very special chain
- supporting effect

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 51518 056 55 | 56 cm | 3.00 mm | 60 kg |
| 51518 064 55 | 64 cm | 3.00 mm | 60 kg |
| 51518 072 55 | 72 cm | 3.00 mm | 60 kg |



Show Collar - Expert

stainless steel



Feature: chain 51506

- belongs only in the hands of proficient and responsible trainers

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 51528 056 55 | 56 cm | 3.00 mm | 60 kg |
| 51528 064 55 | 64 cm | 3.00 mm | 60 kg |
| 51528 072 55 | 72 cm | 3.00 mm | 60 kg |

ADVANTAGES COMPARED TO NYLON & LEATHER COLLARS

- Highly polished surfaces which do not absorb any water and dry very quickly
- No conditions for parasites and no bad smells from wet material
- Easy cleaning and care
- Less problems with damaged hair if the most suitable links are chosen
- Comfortable for the dog to wear

Collar

stainless steel



Feature: 2 rings
Chain type: medium

- medium sized links are sliding very well through the ring
- ideal for working with the dog
- recommended for small and large breeds due to the outstanding tensile strength
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|----------------------------------|------------|----------------|
| 51541 0__ 55 | 39 / 44 / 50 / 55 / 61 / 67 / 72 | 3.00 mm | 50 kg |



STAINLESS STEEL

Retrieving Collar – Training Aid according to Knut Fuchs

stainless steel



Feature: handle and SPRENGER hook 60250
Chain type: medium

- new position of the hook for an optimized wearing comfort
- also ideal to handle taller dogs

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|------------------------|------------|----------------|
| 51548 0__ 55 | 45 / 50 / 55 / 60 / 65 | 3.00 mm | 50 kg |



GOOD REASONS TO CHOOSE A SPRENGER CHAIN

- Continued production at the location in Iserlohn, Germany in the 5th generation
- Regional supplier in compliance with EU environmental regulations
- Specialized- and needs orientated training company
- Promise of quality for premium, reliable, long lasting and safe products
- Branded products – “HS GERMANY” on all rings and swivels

STAINLESS STEEL



Collar

stainless steel



Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|---------------------------------------|------------|----------------|
| 51663 0__ 55 | 51 / 55 / 58 / 61 / 65 / 68 / 71 / 74 | 4.00 mm | 85 kg |



Collar

stainless steel



Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|----------------------------------|------------|----------------|
| 51506 0__ 55 | 46 / 50 / 54 / 58 / 62 / 66 / 72 | 3.00 mm | 50 kg |



Collar

stainless steel



Feature: 2 rings
Chain type: long links

- extra long chain links
- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|----------------------------------|------------|----------------|
| 51604 0__ 55 | 54 / 59 / 63 / 67 / 72 / 76 / 80 | 4.00 mm | 85 kg |



Sheet Shackle

stainless steel



Feature: with screw fitting

- recommended for a safe and limited traction effect on SPRENGER long link chains

| Article number | Wire gauge |
|----------------|------------|
| 66100 004 56 | 4.00 mm |



TRADITION MEETS MODERN LOOK

High quality dog collars made of black stainless steel

The basis for this quality are necklaces of the standard program made of stainless steel. In a galvanic finishing process, the surface is blackened and finally polished.

Since it is not a durable coating, the permanent friction of the fur on the metal creates an attractive antique look. For dogs with a tendency to fur discoloration, we recommend using our standard assortment of stainless steel with polished surface or CUROGAN.

Also when purchasing a black stainless steel product, pay attention to our metal tag with the red dot, as well as to the **HS-GERMANY INOX-stamp** on all rings and swivels.

- solid material - surface blackened & polished
- absolutely rustproof
- seawater-resistant
- high strengths
- for cleaning use mild detergent or dish soap
- Further dog collars of this quality can be found in our main catalog.



STAINLESS STEEL

BLACK

STAINLESS STEEL
BLACK



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain
stainless steel black



- Feature:** 2 rings
- classic version for professional dog training

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50035 010 57 | 41 cm | 2.25 mm | 20 kg | 2.00 mm |
| 50004 010 57 | 58 cm | 3.20 mm | 40 kg | 3.00 mm |
| 50045 010 57 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain
stainless steel black



- Feature:** 1 ring and swivel
- more flexibility between the dog collar and the leash due to the swivel
 - classic version for professional dog training

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50135 010 57 | 41 cm | 2.25 mm | 20 kg | 2.00 mm |
| 50105 010 57 | 58 cm | 3.20 mm | 40 kg | 3.00 mm |
| 50145 010 57 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock
stainless steel black



- Feature:** 1 ring
- safe and easy to apply due to the ClicLock
 - quick and pinpoint influence

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50037 010 57 | 40 cm | 2.25 mm | 20 kg |
| 50007 010 57 | 52 cm | 3.20 mm | 40 kg |
| 50047 010 57 | 60 cm | 4.00 mm | 70 kg |



Middle Links for Lengthening
stainless steel black



| Article number | Length | Wire gauge |
|----------------|--------|------------|
| 50530 000 57 | 3 cm | 2.25 mm |
| 50500 000 57 | 4 cm | 3.20 mm |
| 50540 000 57 | 5 cm | 4.00 mm |

ULTRA-PLUS Training Collar with Center-Plate and ClicLock

stainless steel black



Feature: 1 ring

- for high professional training
- appr. 90% influence around the neck through four additional middle links and the direct connection of ClicLock and links

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50138 014 57 | 40 cm | 2.25 mm | 20 kg |
| 50108 014 57 | 58 cm | 3.20 mm | 40 kg |



NeckTech Sport with ClicLock

stainless steel black matt



Feature: 1 ring

- safe and easy to apply due to the ClicLock
- quick and pinpoint influence

| Article number | Length | For dogs up to | Width |
|----------------|--------|----------------|-------|
| 50050 010 66 | 48 cm | 65 kg | 20 mm |
| 50050 014 66 | 60 cm | 65 kg | 20 mm |



**STAINLESS STEEL
BLACK**

Single Elements NeckTech Sport

stainless steel black matt



- for lengthening of the NeckTech Sport
- Scope of delivery: 2 pcs. on self-service card

| Article number | Length | Width |
|----------------|--------|-------|
| 50505 000 66 | 3 cm | 20 mm |



Show Collar - Standard


stainless steel black



Feature: chain 51506

- special collar preferentially used for training resp. exam preparation

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|--------------|------------|----------------|
| 51508 0__ 57 | 56 / 64 / 72 | 3.00 mm | 60 kg |



**STAINLESS STEEL
BLACK**



Collar
stainless steel black



Feature: 2 rings
Chain type: medium

- medium sized links are sliding very well through the ring
- ideal for working with the dog
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|----------------------------------|------------|----------------|
| 51541 0__ 57 | 39 / 44 / 50 / 55 / 61 / 67 / 72 | 3.00 mm | 50 kg |



Collar
stainless steel black



Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|------------------------|------------|----------------|
| 51663 0__ 57 | 51 / 55 / 58 / 61 / 65 | 4.00 mm | 85 kg |



Collar
stainless steel black



Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|-----------------------------|------------|----------------|
| 51506 0__ 57 | 50 / 54 / 58 / 62 / 66 / 72 | 3.00 mm | 50 kg |



Collar
stainless steel black



Feature: 2 rings
Chain type: long links

- extra long chain links
- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|-----------------------------|------------|----------------|
| 51604 0__ 57 | 54 / 59 / 63 / 67 / 72 / 76 | 4.00 mm | 85 kg |



THE NICKEL-FREE ALTERNATIVE

High quality dog collars made of CUROGAN

This quality was developed for dogs who react with a fur discoloration to other chains. For over 90% of these dogs, CUROGAN is an excellent alternative.

In addition to their anti-allergic properties (nickel-free), the CUROGAN chains are also very popular because of their attractive appearance. The high copper percentage gives the chain a brilliant color which darkens in use. With a commercially available polishing paste, the original condition can be restored at any time.

Due to the high copper content, these chains have a higher material abrasion. Therefore it is advised to make a visual check periodically.

- special copper alloy with high strength
- solid material - polished
- nickel-free
- rustproof
- maintenance with our Diamond Paste (metal polishing)
- Further dog collars of this quality can be found in our main catalog.



CUROGAN



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

CUROGAN

- Feature:** 2 rings ■ classic version for professional dog training

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50035 010 67 | 41 cm | 2.25 mm | 15 kg | 2.50 mm |
| 50004 010 67 | 58 cm | 3.20 mm | 30 kg | 3.00 mm |
| 50045 010 67 | 63 cm | 4.00 mm | 35 kg | 4.00 mm |



HS SPRENGER
SAFETY END

CUROGAN



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

CUROGAN

- Feature:** 1 ring ■ safe and easy to apply due to the ClicLock
■ quick and pinpoint influence

| Article number | Length | Wire gauge | For dogs up to |
|----------------|--------|------------|----------------|
| 50037 010 67 | 40 cm | 2.25 mm | 15 kg |
| 50007 010 67 | 52 cm | 3.20 mm | 30 kg |
| 50047 010 67 | 60 cm | 4.00 mm | 35 kg |



Middle Links for Lengthening

CUROGAN

| Article number | Wire gauge |
|----------------|------------|
| 50530 000 67 | 2.25 mm |
| 50500 000 67 | 3.20 mm |
| 50540 000 67 | 4.00 mm |



NeckTech Sport with ClicLock

CUROGAN matt



Feature: 1 ring

- safe and easy to apply due to the ClicLock
- quick and pinpoint influence

| Article number | Length | For dogs up to |
|----------------|--------|----------------|
| 50050 010 68 | 48 cm | 45 kg |
| 50050 014 68 | 60 cm | 45 kg |



Single Elements NeckTech Sport

CUROGAN matt



- for lengthening of the NeckTech Sport
- Scope of delivery: 2 pcs. on self-service card

| Article number | Length | Width |
|----------------|--------|-------|
| 50505 000 68 | 3 cm | 20 mm |



Show Collar - Standard

CUROGAN



Feature: chain 51506

- special collar preferentially used for training resp. exam preparation

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|--------------|------------|----------------|
| 51508 0__ 67 | 56 / 64 / 72 | 3.00 mm | 35 kg |



CUROGAN

Show Collar - Standard

brass polished



Feature: chain 51506

- special collar preferentially used for training resp. exam preparation
- discontinued item

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|--------------|------------|----------------|
| 51508 0__ 33 | 56 / 64 / 72 | 3.00 mm | 35 kg |





Collar
CUROGAN

Feature: 2 rings
Chain type: medium

- medium sized links are sliding very well through the ring
- ideal for working with the dog
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|-----------------------------|------------|----------------|
| 51541 0__ 67 | 39 / 44 / 50 / 55 / 61 / 67 | 3.00 mm | 35 kg |



Collar
CUROGAN

Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|------------------------|------------|----------------|
| 51663 0__ 67 | 55 / 58 / 61 / 65 / 68 | 4.00 mm | 70 kg |



Collar
CUROGAN

Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|-----------------------------|------------|----------------|
| 51506 0__ 67 | 46 / 50 / 54 / 58 / 62 / 66 | 3.00 mm | 35 kg |



Collar
CUROGAN

Feature: 2 rings
Chain type: long links

- extra long chain links
- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|-----------------------------|------------|----------------|
| 51604 0__ 67 | 54 / 59 / 63 / 67 / 72 / 76 | 4.00 mm | 70 kg |

CUROGAN



HIGH GLOSS LOOK UNIFIED WITH A STURDY SURFACE

High quality dog collars made of chrome plated steel

Chrome-plated dog collars from SPRENGER are characterised by their high-gloss surface. The result is achieved by a special surface polishing, which gives the chain a long-lasting rust protection due to the particularly adhesive properties of the nickel and chrome layer.

Damage to the surface caused by external influences can injure the steel core. For this reason we cannot guarantee that all chains and articles made of steel are rustproof.

- double rust protection due to nickel and chrome coating
- high-gloss surface
- dry thoroughly after cleaning with a mild detergent or rinsing agent
- Further dog collars of this quality can be found in our main catalog.



STEEL



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain



steel chrome plated

- Feature:** 2 rings ■ classic version for professional dog training

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50035 010 02 | 41 cm | 2.25 mm | 30 kg | 2.00 mm |
| 50015 010 02 | 55 cm | 3.00 mm | 35 kg | 3.00 mm |
| 50004 010 02 | 58 cm | 3.20 mm | 40 kg | 3.40 mm |
| 50045 010 02 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain



steel chrome plated

- Feature:** 1 ring and swivel ■ classic version for professional dog training
■ more flexibility between the dog collar and the leash due to the swivel

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50135 010 02 | 41 cm | 2.20 mm | 30 kg | 2.00 mm |
| 50115 010 02 | 55 cm | 3.00 mm | 35 kg | 3.00 mm |
| 50105 010 02 | 58 cm | 3.20 mm | 40 kg | 3.40 mm |
| 50145 010 02 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain



steel chrome plated

- Feature:** 1 ring, swivel and scissor snap hook ■ more flexibility between the dog collar and the leash due to the swivel
■ no opening of the scissor snap hook under tension
■ the absolute classic training collar

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50136 010 02 | 41 cm | 2.25 mm | 30 kg | 2.00 mm |
| 50116 010 02 | 55 cm | 3.00 mm | 35 kg | 3.00 mm |
| 50106 010 02 | 58 cm | 3.20 mm | 40 kg | 3.40 mm |
| 50146 010 02 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |

STEEL



Middle Links for Lengthening



steel chrome plated

| Article number | Wire gauge |
|----------------|------------|
| 50530 000 02 | 2.25 mm |
| 50510 000 02 | 3.00 mm |
| 50500 000 02 | 3.20 mm |
| 50540 000 02 | 4.00 mm |

ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

steel browned



Feature: 1 ring and swivel

- classic version for professional dog training
- more flexibility between the dog collar and the leash due to the swivel

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50115 010 13 | 55 cm | 3.00 mm | 35 kg | 3.00 mm |
| 50145 010 13 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |




Middle Links for Lengthening

steel browned



| Article number | Wire gauge |
|----------------|------------|
| 50510 000 13 | 3.00 mm |
| 50540 000 13 | 4.00 mm |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

steel nickel plated



Feature: 2 rings

- classic version for professional dog training

| Article number | Length | Wire gauge | For dogs up to | Ø Chain |
|----------------|--------|------------|----------------|---------|
| 50004 010 01 | 58 cm | 3.20 mm | 40 kg | 3.40 mm |
| 50045 010 01 | 63 cm | 4.00 mm | 70 kg | 4.00 mm |




Middle Links for Lengthening

steel nickel plated



| Article number | Wire gauge |
|----------------|------------|
| 50500 000 01 | 3.20 mm |
| 50540 000 01 | 4.00 mm |



STEEL



Collar

steel chrome plated



Feature: 2 rings
Chain type: medium

- medium sized links are sliding very well through the ring
- ideal for working with the dog
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|----------------------------------|------------|----------------|
| 51620 0__ 02 | 45 / 50 / 55 / 60 / 65 / 70 / 75 | 3.40 mm | 55 kg |



Collar

steel chrome plated



Feature: 2 rings
Chain type: long links


- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|-----------------------------|------------|----------------|
| 51663 0__ 02 | 51 / 55 / 58 / 61 / 65 / 68 | 4.00 mm | 80 kg |



Collar


steel chrome plated



Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|----------------------------------|------------|----------------|
| 51506 0__ 02 | 42 / 46 / 50 / 54 / 58 / 62 / 66 | 3.00 mm | 45 kg |



Collar

steel chrome plated



Feature: 2 rings
Chain type: long links

- comfortable for long and fine fur due to link size and shape
- attachment of an additional split ring for tension limitation possible

| Article number | Length [cm] | Wire gauge | For dogs up to |
|----------------|--|------------|----------------|
| 51604 0__ 02 | 50 / 54 / 59 / 63 / 67 / 72 / 76 / 80 / 84 | 4.00 mm | 75 kg |

STEEL



WITH LOVE AND CARE

Selected, assorted accessories with premium quality

SPRENGER offers you a small selection of accessories, which do not necessarily originate from our own production, but which completely correspond to our quality awareness.

- silent training whistles from our in-house production
- rubberized leashes with reliable snap hooks
- jute toys made by our partners in the EU

Thanks to our long-standing partnerships, we can guarantee that this product area is also made up of premium articles.



ACCESSORIES



Rubberized Leash

polypropylene

Feature: with hand strap

Width: 19 mm

| Article number | Length [cm] | Color |
|----------------|-------------|-------|
| 59230 100 76 | 100 | blue |
| 59230 120 70 | 120 | pink |
| 59230 120 71 | 120 | black |
| 59230 120 73 | 120 | green |
| 59230 200 70 | 200 | pink |
| 59230 200 71 | 200 | black |
| 59230 200 73 | 200 | green |
| 59230 200 76 | 200 | blue |



- light and space saving
- remains light and easy to handle even in rain and water
- easy cleaning
- quick drying
- safe and comfortable touch
- ideal for the training with the dog



Rubberized Leash

polypropylene

Length: 230 cm

Feature: 3-way adjustable

Width: 19 mm

| Article number | Color |
|----------------|-------|
| 59230 230 70 | pink |
| 59230 230 71 | black |
| 59230 230 73 | green |
| 59230 230 76 | blue |



- light and space saving
- remains light and easy to handle even in rain and water
- easy cleaning
- quick drying
- safe and comfortable touch
- 3-way adjustable, also ideal for re-hanging



Rubberized Leash

polypropylene

Feature: with 2 snap hooks

Width: 19 mm

| Article number | Length | Color |
|----------------|--------|-------|
| 59230 300 70 | 300 cm | pink |
| 59230 300 71 | 300 cm | black |
| 59230 300 73 | 300 cm | green |



- light and space saving
- remains light and easy to handle even in rain and water
- easy cleaning
- quick drying
- safe and comfortable touch
- ideal for leading 2 dogs



Rubberized Tracking-Leash

polypropylene

Feature: without hand strap

Width: 19 mm

| Article number | Length | Color |
|----------------|--------|-------|
| 59230 999 70 | 10 m | pink |
| 59230 999 71 | 10 m | black |
| 59230 999 73 | 10 m | green |
| 59230 999 76 | 10 m | blue |
| 59230 995 70 | 15 m | pink |
| 59230 995 71 | 15 m | black |
| 59230 995 73 | 15 m | green |
| 59230 995 76 | 15 m | blue |



- remains light and easy to handle even in rain and water
- easy cleaning
- quick drying
- safe and comfortable touch
- ideal for tracking dogs or mantrailing

Rubberized Leash

polypropylene



Feature: without hand strap

Width: 19 mm

- light and space saving
- remains light and easy to handle even in rain and water
- easy cleaning
- quick drying
- safe and comfortable touch
- ideal for the training with the dog

| Article number | Length | Color |
|----------------|--------|-------|
| 59230 101 70 | 100 cm | pink |
| 59230 101 71 | 100 cm | black |
| 59230 101 73 | 100 cm | green |
| 59230 201 70 | 200 cm | pink |
| 59230 201 71 | 200 cm | black |
| 59230 201 73 | 200 cm | green |
| 59230 301 70 | 300 cm | pink |
| 59230 301 71 | 300 cm | black |
| 59230 301 73 | 300 cm | green |
| 59230 301 76 | 300 cm | blue |
| 59230 501 70 | 500 cm | pink |
| 59230 501 71 | 500 cm | black |
| 59230 501 73 | 500 cm | green |
| 59230 501 76 | 500 cm | blue |



Cover for ULTRA-PLUS Training Collars

polypropylene



Feature: reflective

- easy cleaning
- attractive design
- durable
- with velcro fastener

| Article number | Length | Wire gauge |
|----------------|--------|------------|
| 59209 027 00 | 27 cm | 2.25 mm |
| 59209 035 00 | 35 cm | 2.25 mm |
| 59209 038 00 | 38 cm | 3.20 mm |



Cover for ULTRA-PLUS Training Collars

polypropylene



Color: black

- easy cleaning
- attractive design
- durable
- with velcro fastener

| Article number | Length | Wire gauge |
|----------------|--------|------------|
| 59209 027 71 | 27 cm | 2.25 mm |
| 59209 035 71 | 35 cm | 2.25 mm |
| 59209 038 71 | 38 cm | 3.20 mm |
| 59209 048 71 | 48 cm | 4.00 mm |



ACCESSORIES



Toy
cotton



Feature: with one handle

- material and padding: soft
- for small and middle dogs
- ideal for the game and the first exercises with puppies

| Article number | Weight | Measure |
|----------------|----------|-----------|
| 58197 004 00 | 0.045 kg | 19 x 4 cm |
| 58197 005 00 | 0.058 kg | 30 x 4 cm |



Toy
jute



Feature: with one handle

- material and padding: hard
- usable for training and professional dog sport
- width 6.5 cm for middle-sized dogs
- width 8.5–9.5 cm for larger and stronger dogs

| Article number | Weight | Measure |
|----------------|---------|-------------|
| 58197 001 00 | 0.24 kg | 30 x 8.5 cm |
| 58197 002 00 | 0.4 kg | 38 x 9.5 cm |
| 58197 003 00 | 0.14 kg | 30 x 6.5 cm |




Toy
leather



Feature: with one handle

- padding: medium
- soft and also robust material
- width 4 cm for small dogs
- width 6 cm for middle-sized dogs
- width 8–9 cm for longer and stronger dogs

| Article number | Weight | Measure |
|----------------|----------|-----------|
| 58196 000 00 | 0.034 kg | 20 x 4 cm |
| 58196 001 00 | 0.045 kg | 30 x 4 cm |
| 58196 005 00 | 0.072 kg | 21 x 6 cm |
| 58196 006 00 | 0.122 kg | 24 x 8 cm |
| 58196 007 00 | 0.258 kg | 30 x 9 cm |



Toy
fire hose



Feature: with one handle

- material and padding: hard
- floating
- width 3.5 cm–4 cm for small and middle-sized dogs
- width 8 cm for large and strong dogs only

| Article number | Weight | Measure |
|----------------|----------|-------------|
| 58196 008 00 | 0.047 kg | 20 x 3.5 cm |
| 58196 009 00 | 0.075 kg | 30 x 4 cm |
| 58196 010 00 | 0.315 kg | 40 x 8 cm |

Soundless Training Whistle

brass polished, nickel-plated



Feature: plastic cover

- for human scarcely audible
- audible range for the dog up to 400 meters
- constant pitch by locking the secure nut on the adjustment screw
- protective sleeve

| Article number | Length |
|----------------|--------|
|----------------|--------|

| | |
|--------------|-------|
| 57480 000 31 | 60 mm |
|--------------|-------|



Soundless Training Whistle

brass polished, nickel-plated



Feature: plastic cover and sleeve

- for human scarcely audible
- audible range for the dog up to 400 meters
- constant pitch by locking the secure nut on the adjustment screw
- protective sleeve
- additional black cap to secure the individual tonal adjustment

| Article number | Length |
|----------------|--------|
|----------------|--------|

| | |
|--------------|-------|
| 57481 000 31 | 80 mm |
|--------------|-------|



Soundless Training Whistle

brass polished, nickel-plated



Feature: plastic cover, sleeve and chain

- for human scarcely audible
- audible range for the dog up to 400 meters
- constant pitch by locking the secure nut on the adjustment screw
- protective sleeve
- additional black cap to secure the individual tonal adjustment
- plus chain to attach

| Article number | Length |
|----------------|--------|
|----------------|--------|

| | |
|--------------|-------|
| 57481 060 31 | 80 mm |
|--------------|-------|



Throwing Chain

steel nickel plated



Length: 20 cm

- high pitched and sonorous through unwelded chain-links
- effects the dog's attention
- belongs in skilled hands

| Article number | Wire gauge |
|----------------|------------|
|----------------|------------|

| | |
|--------------|---------|
| 58180 020 01 | 3.40 mm |
|--------------|---------|





ClicLock "Jacket"

plastic



Color: anthracite
Inner width: 20 mm

Article number

60152 020 71

- protective cover for the button of the ClicLock
- made of technical high-grade plastic
- the arrow on the back helps to fit the Jacket on the ClicLock



Caps for Training Collars

plastic



| Article number | Wire gauge |
|----------------|------------|
| 50005 000 00 | 3.20 mm |
| 50005 002 00 | 4.00 mm |

- 1 Set = 20 pcs.
- Color: black



Signal Horn

brass polished

- popular tool in dog training
- strong and clear sound
- with chain

| Article number | Length |
|----------------|--------|
| 59551 000 30 | 27 cm |




Spiral Stake

steel chrome plated

- for outdoor leashing of small dogs
- can be simply screwed into the lawn and sandy ground
- material Ø 8-9 mm

| Article number | Length |
|----------------|--------|
| 55990 460 02 | 44 cm |



Run-Block

stainless steel



- all components are made of stainless steel
- three additional fixing poles for stabilizing the block Ø 10 mm
- also suitable for strong dogs
- must be hammered into the ground
- 360° turntable with welded eye as lashing point

| Article number | Length |
|----------------|--------|
| 55991 000 56 | 40 cm |



Snap-Hook

zinc die-casting, nickel plated

| Article number | Length | Inner width |
|----------------|--------|-------------|
| 60490 050 45 | 50 mm | 11 mm |
| 60490 065 45 | 65 mm | 13 mm |
| 60490 075 45 | 75 mm | 13 mm |
| 60490 080 45 | 80 mm | 16 mm |
| 60490 085 45 | 85 mm | 20 mm |
| 60491 090 45 | 90 mm | 20 mm |



Snap-Hook

zinc die-casting, nickel plated

Length: 77 mm



| Article number | Inner width |
|----------------|-------------|
| 60493 016 45 | 16 mm |
| 60493 019 45 | 19 mm |
| 60493 025 45 | 25 mm |



SPRENGER Hook

steel nickel plated



- stamped components
- high strengths
- stable & durable

| Article number | Length | Inner width |
|----------------|--------|-------------|
| 60250 045 01 | 45 mm | 11 mm |
| 60250 055 01 | 55 mm | 15 mm |
| 60250 075 01 | 75 mm | 20 mm |




SPRENGER Hook

stainless steel



- stamped components
- high strengths
- stable & durable

| Article number | Length | Inner width |
|----------------|--------|-------------|
| 60250 045 55 | 45 mm | 11 mm |
| 60250 055 55 | 55 mm | 16 mm |
| 60250 155 55 | 60 mm | 20 mm |
| 60250 075 55 | 75 mm | 20 mm |



**Key Ring**

steel nickel plated



- eminently strong
- suitable for individual adaptation of the tension limit for medium and long link collars

| Article number | Wire gauge | Inner width |
|----------------|------------|-------------|
| 55950 025 01 | 2.00 mm | 19 mm |
| 55950 032 01 | 2.50 mm | 24 mm |

**Key Ring**

stainless steel



- eminently strong
- suitable for individual adaptation of the tension limit for medium and long link collars

| Article number | Wire gauge | Inner width |
|----------------|------------|-------------|
| 55950 025 55 | 2.00 mm | 19 mm |
| 55950 032 55 | 2.50 mm | 25 mm |

**Sheet Shackle**

stainless steel

**Feature:** with screw fitting

- recommended for a safe and limited traction effect on SPRENGER long link chains

| Article number | Wire gauge |
|----------------|------------|
| 66100 004 56 | 4.00 mm |

SPRENGER FITTINGS

The SPRENGER product range includes a wide range of buckles, snap hooks and other fittings, which leading brand manufacturers in the leather and textile processing industry have been using for years.

IN FUTURE YOU WILL FIND OUR RANGE OF FITTINGS IN A SEPARATE BROCHURE.



CUSTOM-MADE PRODUCTS

We would be pleased to manufacture SPRENGER products according to your wishes within the scope of technical possibilities.



In the SPRENGER product range you will find many different qualities, which differ not only in their composition but also in their color.

All products shown in the standard range are therefore also available in other qualities, such as brass-plated steel, gold-plated steel, matt stainless steel, black stainless steel and many others.

The minimum order quantity is 100 pieces per article and size. Depending on the selected article, material, surface and effort, however, this can also be significantly higher. We will be glad to check our possibilities upon receipt of your detailed inquiry.

I. Scope of Application:

- The following General Business Conditions will apply to all transactions with Herm. Sprenger Metallwarenfabrik GmbH & Co. KG (hereinafter known as "the supplier"), i.e. all contracts, deliveries and other services and shall be deemed to be incorporated into future business relationships even when reference has not especially been made to the same. The validity of the purchaser's General Terms of Business is discounted.
- Any deviations from these General Terms of Business will only become an integral part of the contract if such deviations constitute the subject matter of an express agreement in writing entered into between the purchaser and the supplier.

II. Subject Matter of Contract/Prices:

- Decision for the contents and scope of deliveries and services is the written confirmation of order from the supplier. If no such confirmation has been issued then the quotation from the supplier is decisive. Should there be no quotation, then the supplier's current price list is decisive. Confirmation of order by data telecommunication, EDP-printout and electronically transferred order confirmations and quotations are to be considered as valid even without signature.
- Our quotations will be valid for 8 days, whereafter they lose their validity.
- Orders received via our agents and/or sales representatives together with subsidiary agreements, supplements, etc. require confirmation in the above mentioned form (written) to become effective.
- All the technical data contained in our catalogues and other sales documentation, lists and drawings as well as details of weights and measures have been drawn up with all due diligence; obvious mistakes are subject to subsequent correction.
- The price lists applicable at the time of entering into the contract constitute the basis for price calculations or alternatively the prices in the specific quotations. All prices are understood to be ex works and do not include the Value Added Tax applicable on the day of delivery or services performed and do not include any transport and packaging costs.
- For orders of low value, we reserve the right to charge a processing fee.

III. Delivery Terms/Delayed Deliveries:

- The observance of agreed periods for deliveries and performance of services or delivery dates is conditional on the timely receipt of all specifications and documents to be communicated by the purchaser as well as the compliance with the payment conditions agreed upon together with any other obligations through the purchaser. Should these prerequisites not be fulfilled punctually, then the delivery dates will be delayed commensurately.
- Transactions for delivery by a fixed date [§ 376 German Commercial Code] require explicit written confirmation.
- Should the non-compliance of delivery dates or service periods be caused by Force Majeure, e.g. mobilization, war, uprising, or any similar events, such as strike, lock-outs etc., then the dates or periods will be commensurately extended. The same is to apply for delayed deliveries of the supplier's own supplies.
- Should the supplier's delivery dates or service dates or alternatively the delivery periods or service periods on behalf of the supplier not be observed, then the purchaser is obliged to set the supplier a reasonable subsequent date for delivery in writing. Should the supplier culpably not deliver or alternatively perform services within this set subsequent delivery period, then the purchaser is entitled to withdraw from the contract.
- Inasmuch as the supplier is responsible for the non-observance of the accepted date, then the purchaser – provided he can substantiate that damages have thus arisen for him – can demand compensation for each complete week of delay of 0.5%, however, no more than a total of 5% of the price of the deliveries or services affected by the delay. This limitation of liability shall not be applicable if the supplier is to be blamed with handling with intent or with gross negligence or is compulsorily liable for damages arising from death or injury to body and health.
- On demand by the supplier, the purchaser is obliged to explain within a commensurate period whether he withdraws from the contract because of the delays in delivery or performance and/or will make claim for compensation instead of the deliveries demanded and/or insists on receiving the deliveries/performance.

IV. Terms of Delivery:

- The supplier is entitled to make partial deliveries on a reasonable scale. Variances in respect of the measurements, the weight, the technical configuration, the manufacture and the extent of the commodities to be supplied are permitted within a tolerance range of 15%.
- The purchaser additionally consents to any deviating modifications which serve technical improvement of the commodity or alternatively that will not bring about any technical deterioration.

V. Passing of Risk/Delivery:

- Dispatch is made on the order of the purchaser at his cost through a haulage contractor of our choice.
- The risk of accidental destruction and/or loss passes to the purchaser with the dispatch or upon handing over to the person carrying out the transportation, respectively. Moreover all risk passes to the purchaser once he is in default of acceptance following receipt of notice of readiness for shipment from the supplier.

VI. Terms of Payment:

- The supplier's invoices are due for payment immediately and without any deduction. Payment is considered to have been made as soon as the sum has been made available to the supplier.
- The supplier reserves the right to demand payment in advance should he so desire.
- Should the purchaser fall into arrears, then the supplier can demand interest on arrears in the amount of 8% p.a. over the valid basic interest rate in accordance with § 247 German Civil Code. Any right to assert further claims for damages shall not be affected by this.
- The supplier is not obliged to accept drafts (Bills of Exchange). These will only be accepted in individual cases on account of performance by reason of special agreements. The discount and collection charges for the draft are to be borne by the issuer upon maturity and are payable immediately in cash.
- Regardless of any single instances of specially agreed payment conditions, demands to which the supplier is legally entitled become immediately due when circumstances arise in the person of the purchaser where any holding to the agreed payment conditions can no longer be deemed acceptable. This is the case if there are grounds to suspect a significant deterioration of the financial position of the purchaser, in particular upon suspension of payments, cheque and draft protests or default of payment, if it is apparent from this that the supplier's claim to the consideration is endangered as a result of the purchaser's lack of ability to pay. In such cases the supplier is furthermore entitled to demand contemporaneous payment with delivery or the surrender of additional securities. Above and beyond this the supplier is entitled to determine a reasonable term within which the purchaser, at the option of the supplier, is to simultaneously execute consideration or provide security in exchange for performance. The supplier may withdraw from the contract upon futile expiry of the said term.
- Within the scope of the warranty for defects the purchaser may only withhold payment after making a justifiable notice of defects to an extent that is in due proportion to the incurred defect. Any lien on goods on the part of the purchaser is otherwise excluded. The purchaser only has the right to offset claims without contest or legally enforceable claims.

VII. Reservation of Title:

- The commodities supplied (goods subject to reservation) remain the property of the supplier until all claims on the part of the supplier against the purchaser arising from the business relationship have been met. The purchaser is not permitted to pledge or transfer ownership by way of security for the duration of the reservation of title. In the event of any pledge, seizure or other disposition or intervention by third parties, the purchaser shall immediately notify the supplier of the same.
- The purchaser is entitled to dispose of the goods subject to reservation in the normal course of business provided he receives the agreed remuneration or a prohibition of assignment is not agreed upon. The purchaser herewith preventatively assigns to the supplier the claim arising from the sale. However, he remains duly authorised to the collection of the preventatively assigned claim, as long as such authorisation is not revoked. The authorisation can then be revoked when the purchaser culpably does not or no longer fulfil his contractual obligations. If a direct debit authorisation is revoked, the supplier is permitted to give notice of the occurred assignment. The purchaser must then immediately make available all the documents necessary for the notification of assignment and the collection.
- A sale in the ordinary course of business is not constituted if the goods subject to reservation are pledged or transferred by the purchaser by way of security to a third party, or made the object of factoring and/or sale-lease-back procedures, in violation of sub clause 2.
- In the event of goods subject to reservation being processed or treated, this shall be effected for and on behalf of the supplier as the manufacturer within the sense of §§ 950 et seq. German Civil Code. In this case the supplier is lawfully entitled to [joint] ownership of the articles emerging from the processing or treatment of the goods subject to reservation in the proportion of the goods subject to reservation to the value of the new article at the time of the said processing or treatment. The supplier is likewise entitled to a proportional co-ownership in the new article whenever goods belonging to third parties are processed together with the goods subject to reservation. If the purchaser sells the article newly manufactured by him to another party,

he herewith preventatively assigns the claim due to him arising from that sale to the amount of the value of the goods subject to reservation.

- The purchaser shall immediately notify the supplier if the goods subject to reservation are damaged or otherwise impaired. Any claims against third parties arising from the damage or impairment in favour of the purchaser are herewith preventatively assigned to the supplier.
- Insofar as the value of all security interests to which the supplier is entitled exceeds the amount of all claims covered by security by more than 20% the supplier shall if requested by the purchaser, release a corresponding portion of the security interests.
- Should the purchaser neglect any of his duties, in particular in the case of default of payment, the supplier is entitled to cancel the contract and to take back the goods subject to reservation. The purchaser is obliged to surrender the same. The taking back of the goods subject to reservation, or the enforcement of the reservation of title alone does not require the withdrawal on the part of the supplier and is not to be deemed as an implied declaration of cancellation of the contract unless the supplier explicitly declares that these acts are to be understood as a cancellation.

VIII. Warranty:

- The recipient is obliged to examine the commodities delivered immediately regarding their completeness, outer discernable damages and following normal business procedures carry out feasible checks in addition to making written report of any possible damages without delay.
- No warranty claims shall exist in the event of only immaterial deviation from the agreed condition and only insignificant impairment of the serviceability.
- Furthermore no warranty claims shall exist in the case of fair wear and tear, or by damage arising subsequent to the passing of risk as a result of incorrect or negligent handling, excessive treatment, unsuitable operating materials or that occur as a result of particular external influences that are not presupposed according to the contract.
- In the event of a substantiated notice of defects, i.e. upon the occurrence of quality defects which, or the cause of which, already existed at the time of the passing of risk, the supplier is entitled, at his option, to provide subsequent improvement (removal of defects) or delivery (replacement).
- The warranty for expenses incurred by subsequent improvement is limited to the value of the defective commodities.
- If the supplier supplies a faultless item for the purpose of subsequent performance, the purchaser shall surrender the defective article. This is correspondingly applicable to defective components if these are replaced by faultless components within the scope of subsequent improvement.
- A warranty term of one year shall apply for claims for defects, insofar as the statutory provisions concerning the sale of consumer goods are not applicable (§§ 474 et seq. German Civil Code) in particular with regard to liability upon recourse (§§ 478 et seq. German Civil Code) in the absence of statutory requirements.
- The legal consequences of any violation of the commercial duty to examine goods and the obligation to give notice of defects (according to § 377 German Commercial Code) shall not be affected.
- Clause XI shall otherwise apply to any claims for damages. Claims are excluded that are more extensive or different from those in this sub-clause and clause XI raised on the part of the purchaser against the supplier and his vicarious agents due to a defect of quality.

IX. Returning Commodities:

- Any consignments of faultless goods returned require the prior written agreement of the supplier. For the acceptance of faultless goods the supplier will charge a lump-sum amount for handling to the amount of 30% of the value of the goods. Furthermore, the purchaser will bear all transport costs as well as the costs of packing, repacking and any possible repairs.

X. Compensation/Liability:

- Claims for compensation on the part of the purchaser are excluded, irrelevant of the legal grounds, in particular due to any breach of obligations arising from the contractual obligations and from tortious acts, unless there is compulsory liability in accordance with product liability laws, in cases of liability for intention or grossly negligent conduct, due to fatal or physical injury or health hazard, or due to the infringement of essential contractual obligations.
- Claims for compensation in respect of the violation of essential contractual obligations shall, however, be limited to predictable damages typical for the contract, unless a limitation is excluded for other reasons due to intentional or grossly negligent conduct, due to liability in accordance with product liability laws or due to fatal or physical injury or health hazard.
- In the event of impossibility of performance for which the supplier is responsible, claim for compensation by the purchaser is limited to 10 % of the value of that portion of the delivery which cannot be delivered due to impossibility of performance, as long as the supplier cannot be charged with intent or gross negligence and there is no compulsory liability due to fatal or physical injury or health hazard. The right of the purchaser to withdraw from the contract remains untouched.
- In the event that the purchaser's customer, or his customer, justifiably claims against him for subsequent performance, he shall give the supplier the opportunity to carry out such subsequent performance himself within a reasonable term before procuring other "compensatory" goods. The purchaser shall impose this obligation accordingly to his customer. In the event that the purchaser violates these obligations, the supplier reserves the right to reduce compensation to an amount he would have incurred by carrying out subsequent performance himself. This shall not affect § 444 German Civil Code.
- Compensation for expenses associated with such subsequent performance on the part of the purchaser in respect of his customer are furthermore excluded if the purchaser, contrary to his duty to limit damages, has not made use of his right to refuse this kind of subsequent performance, or both kinds of subsequent performance, because of the disproportion of costs and/or has not limited compensation to a reasonable amount.
- Claims on the part of the purchaser in respect of expenses necessary to effect subsequent performance, in particular transport, travelling, labour and material costs, are excluded if the expenses increase due to the fact that the object of supply has been subsequently transferred to a different place to the one given by the purchaser as recipient address, unless such a transfer corresponds with its designated use. This is applicable to recourse liability accordingly.
- The statutes of limitation binding on these claims are applicable to any claims for damages and compensation in conjunction with the defectiveness of the goods or performance (ccf. VIII. 7.). Claims for compensation caused by liability in accordance with product liability laws, in cases of liability for intentional or grossly negligent conduct, due to fatal or physical injury or health hazard, or due to the infringement of essential contractual obligations are subject to the statutes of limitation.

XI. Data Protection:

- Personal data concerning the purchaser obtained directly or indirectly within the scope of the business relationship or becoming known through third parties will be stored by the supplier in an automatic file and processed in the course of business [reference to BDSG] [Federal Data Protection Act].
- The supplier will observe the relevant data protection regulations (in particular those of the BDSG), during his use of the personal data.
- The purchaser consents to the processing by the supplier of personal data becoming known concerning him indirectly or through third parties.
- The supplier may pass on to the supplier current information concerning the company and the products e.g. in the form of a newsletter concerning changes in the sales programme.

XII. Miscellaneous:

- The supplier reserves all property rights, copyrights and exploitation rights to quotations, drawings and other records (herein referred to as "documents") without limitation. The documents shall only be made accessible to third parties with the prior consent of the supplier and are to be returned immediately on request if the contract is not awarded to the supplier. Sentences 1 and 2 above apply to the purchaser's documents accordingly, although these may be made accessible to such other persons to whom the supplier has legitimately assigned the deliveries.
- The legal relations in conjunction with this contract are governed by German substantive law and exclude the United Nations Convention on Contracts for the International Sale of Goods (CISG).
- The sole legal venue for all disputes arising directly or indirectly from the contractual relationship shall be the registered office of the supplier.
- Should any provision in these Terms and Conditions or any provision in other agreements be or become ineffective, then this shall not affect the effectiveness of all the remaining provisions or agreements.

**NOW AVAILABLE:
THE NEW MAIN CATALOG**

2018





Herm. Sprenger
Metallwarenfabrik GmbH & Co. KG

Alexanderstraße 10-21 · 58644 Iserlohn · Germany
PO Box 24 53 · 58634 Iserlohn · Germany

Phone +49 (0) 23 71 95 59-0
Fax +49 (0) 23 71 95 59-939
hundesport@sprenger.de
www.sprenger.de