

Herm. Grenger

HANDCRAFTED FOR DOGSPORTS SINCE 1872

Herm. Miren HANDCRAFTED FOR DOGSPORTS SINCE 1872

#### Product marking

All Sprenger collars are stamped on the rings. The HS-GER-MANY, which is completed by INOX or CUROGAN depending on the material, guarantees quality "Made in Germany".

You will also find our marking on the Ultra plates and swivels, unmistakably identifying a SPRENGER product.

#### Guaranteed breaking loads

Careful material selection, electronic monitoring of the welding process and verification of the tensile strength are just as much a part of the work process as constant documentation of the results.

For each material and wire thickness there are individual, pre-programmed parameters to achieve the desired strength. This enables SPRENGER to provide guaranteed breaking loads for all collars.

#### "HANDCRAFTED FOR DOGSPORTS"

SPRENGER


... is not just an advertising slogan for SPRENGER, but reflects the quality philosophy that is lived by the family and the staff. This is our way of always meeting the quality demands of the modern dog owner and professional dog training.

We manufacture our premium products using a variety of crafts as well as classical and modern machines. A manual inspection and the packaging of the finished product complete our value chain.

In contrary to mass production, our manufactured goods still pass through many hands.

Our quality thinking is not only aimed at the value of the products, delivery and customer service are also of great importance to us.

We are available as a reliable supplier and business partner so that we can count you among our loyal customers on a long-term basis.



STAINLESS STEEL MATT	6-11

STAINLESS STEEL ...... 24-39

#### About SPRENGER

In 1872 Hermann Sprenger founded a factory for riding accessories. In the course of the years his successors added the manufacture of boat fittings and dog accessories.

Decades of experience in manufacturing, an extensive market knowledge and the collaboration with professionals from the fields of dog training, medicine and research constitute the basis for the development of international standards.



STEEL	50-65



#### Material and quality codes

article no.	description	article no.	description	
digit 9 + 10	SPRENGER qualities	digit 9 + 10	SPRENGER qualities	
00	various materials	66	stainless steel black matt	
01	steel nickel plated	67	Curogan	
02	steel chrome plated	68	Curogan matt	
04	steel brass plated			
06	steel galvanised	article no.	description	
13	steel browned	digit 9 + 10	colors	
31	brass nickel plated	70	pink	
33	brass	71	black	
45	neverrust nickel plated	73	green	
55/56	stainless steel	74	red	
57	stainless steel black	76	blue	
65	stainless steel matt	77	orange	
		81	yellow	



#### Measure overview

mm
1.00
1.50
2.00
2.50
3.00
4.00
5.00
6.00
7.00
8.00
9.00
10.00
16.00



Inch	
3/4	2.00
1	2.54
1 1/4	3.00
1 5/8	4.00
2	5.00
4	10.00
6	15.00
8	20.00
10	25.00
12	30.00
14	35.00
16	40.00
18	45.00

#### Please think of an addition to pull the chain over the dog's head.

Inch	cm
20	50.00
22	55.00
24	60.00
26	65.00
28	70.00
30	75.00
32	80.00
34	85.00
36	90.00
38	95.00
40	100.00

 $\square$ 

- 4

Herm. Girenger

HANDCRAFTED FOR DOGSPORTS SINCE 1872



**DISCOVER SPRENGER 2.0** 



# STEEL MATT

The modern quality stainless steel matt represents an innovation from SPRENGER. It combines all the proven advantages and positive features of a SPRENGER dog collars made of stainless steel. A special manufacturing process gives the collars and fittings the matt design.

Since it is not a coating, color changes due to natural abrasion cannot be excluded. Due to the properties of stainless steel, the material darkens evenly over time.

SPRENGER collars made of matt stainless steel have all the positive features you know and appreciate from our polished stainless steel collars.

- QUALITY, ROBUSTNESS AND DURABILITY
- HIGH BREAKING LOADS
- APPEALING NOBLE OPTICS
- FULL MATERIAL
- **STAINLESS**
- SEAWATER RESISTANT
- USE A MILD DETERGENT OR RINSING AGENT FOR CLEANING

HANDCRAFTED FOR DOGSPORTS SINCE 1872

erm, Mirengen



#### Twin Row Martingale Collar

stainless steel matt

Feature:	with assembly chain and ring
suitable for: Chain type:	

Length

- made of high quality stainless steel with a matte finish
- ideal for short haired breeds
- Assembly chain for easier donning provides a pull stop for tension limitation

Castilla Castilla	g Jacob	10000 10000
Constant of the second s		
CE.	BEERE B	355



Article number	[cm]	wire gaug
51113065	40 / 45 / 50 / 55 / 60	3.00 mm



runs very well through the ring due to

ideal for short haired breeds

the short links

Feature:2 ringssuitable for:short furChain type:round

stainless steel matt

Collar

Collar

Feature:

stainless steel matt

suitable for: short fur


Chain type: round

2 rings


Article number [cm]		Wire gauge
51112065	45 / 50 / 55 / 60 / 65	3.00 mm

NASE (P	Rost		MATT
---------	------	--	------

- runs very well through the ring due to the short links
- eminently strong
- ideal for short haired breeds











SPRENGER

MATT

9



	<b>Collar, extra</b> stainless steel	-
a and a series		ort fur edium length fur ng fur
6	Article number	Length [cm]
	51641065	51 / 54 / 58 / 63

Collar

Feature:

Article number

515410\_\_65


 fur saving
 eminently strong

NADE (6 SHEE 5072

Rost frei

Article number	Length [cm]	Wire gauge	
51641065	51 / 54 / 58 / 63 / 69 / 74	4.00 mm	

39 / 44 / 49 / 54 / 60 / 67 3.00 mm





Collar

stainl	less	steel	matt

Feature:	2 rings
suitable for:	short fur
	medium length fur long fur
Chain type:	long links

Article number	Length [cm]	Wire gauge
51506065	50 / 53 / 57 / 61 / 65 / 72	3.00 mm



comfortable for long and fine fur due to link size and shape



|--|--|

2 rings
short fur
medium length fur
long fur
long links

**Collar** stainless steel matt

1	extra wide chain links
1	comfortable for long and fine fur due
	to link size and shape

Article number	Length [cm]	Wire gauge
51604 0 65	54 / 58 / 63 / 67 / 71 / 75	4.00 mm







NeckTech Fun with ClicLock stainless steel matt

Feature:	1 D-Ring
suitable for:	short fur medium length fur
	long fur
Chain type:	NeckTech

Article number	Length	Width
50051 010 65	48 cm	20 mm
50051 014 65	60 cm	20 mm



SPRENGER

- made of high quality stainless steel with a matte finish
- pleasant wearing comfort for all short- and long-haired breeds
- length can be varied by adding or removing individual links
- safe and easy to apply due to the ClicLock



#### Single Elements NeckTech Fun stainless steel matt

Feature: Set of 2 Chain type: NeckTech

Article number	Length	Width
50506 000 65	3 cm	20 mm



- made of high quality stainless steel with a matte finish
- to extend the NechTech Fun
- extension by 3 cm per replacement link



#### NeckTech Sport with ClicLock stainless steel matt

Feature: 1 ring suitable for: short fur medium length fur long fur Chain type: NeckTech

Article number	Length	Width
50050 010 65	48 cm	20 mm
50050 014 65	60 cm	20 mm



- made of high quality stainless steel with a matte finish
- pleasant wearing comfort for all short- and long-haired breeds
  length can be varied by adding or
- removing individual links
- safe and easy to apply due to the ClicLock



Feature: Set of 2 Chain type: NeckTech

Article number	Length	Width	
50505 000 65	3 cm	20 mm	



- of high quality stainless steel with a matte finish
- to extend the NechTech Fun extension by 3 cm per replacement link

■ made



11 -



# SPRENGER

6

# STEEL BLACK

#### TRADITION MEETS MODERN LOOK High-quality dog collars made of blackened stainless steel

All collars in the standard range made of stainless steel form the basis for this quality. During a galvanic process, the surface is blackened and finally polished.

Since it is not a hard coating, the permanent friction of the fur on the metal can create an attractive antique look. We recommend our standard range of stainless steel with polished surface or CUROGAN for dogs with a tendency to discolour fur.

Look out for our metal tag with the red dot and the HS-GERMANY INOX stamp on all rings and swivels when buying a black stainless steel product.

- SOLID MATERIAL SURFACE BLACKENED & POLISHED
   ABSOLUTELY STAINLESS
   SEAWATER RESISTANT
   HIGH STRENGTHS
- HIGH STRENGTHS
- USE A MILD DETERGENT OR DISH SOAP FOR CLEANING

Herm. Grenger

HANDCRAFTED FOR DOGSPORTS SINCE 1872



#### Twin Row Martingale Collar

stainless steel black

Feature:	with assembly chain and ring
suitable for:	short fur
Chain type:	flat polished

PADE OF SHEET 1872	Rost	
-----------------------	------	--

- made of high quality stainless steel in a black look
- ideal for short haired breeds
- Assembly chain for easier donning provides a pull stop for tension limitation

(2000 E 1872

ideal for short haired breeds

Wire gauge

the short links


runs very well through the ring due to

Rost frei

Article number	Length [cm]	Wire gauge
$508810_{}57$	35 / 40 / 45 / 50 / 55 / 60	2.00 mm







runs very well through the ring due to

the short links

Feature: 2 rings suitable for: short fur Chain type: round

stainless steel black

Collar

ain type: round	ideal for sh	ort haired breeds
icle number [cm]	Wire gauge	

	[cm]	,
50903 0 57	40 / 45 / 50 / 55 / 60 / 65	2.50 mm



**Collar** stainless steel black

Feature:2 ringssuitable for:short furChain type:round



- runs very well through the ring due to the short links
- ideal for short haired breeds

Article number	Length [cm]	Wire gauge
$511120_{-}57$	40 / 45 / 50 / 55 / 60 / 65 / 70 / 75	3.00 mm



### Article number

Collar

Feature:

stainless steel black

suitable for: short fur

Chain type: round

2 rings

Length


## Kitcle number [cm] Wite gate 50803 0\_\_57 30 / 35 / 40 / 45 / 50 / 55 / 60 / 65 2.00 mm


P



Collar stainless steel black

Feature: 2 rings suitable for: short fur Chain type: round









- runs very well through the ring due to the short links
  ideal for short haired breeds

#### Collar with SPRENGER hook

stainless steel black

Article number

Feature:	without traction effect
suitable for:	
	medium length fur
	long fur
Chain type:	medium

Length

515470\_57 45/50/55/60/65 3.00 mm

[cm]



- made of high quality stainless steel in a black look
- suitable for all coat types and lengths safe for both small and large breeds
- due to the high breaking load

Wire gauge

the Sprenger hook offers easy donning and the possibility of size adjustment



#### Collar with SPRENGER hook

stainless steel black

Feature:	without traction effect
suitable for:	short fur
	medium length fur
	long fur
Chain type:	medium

RADE OF SHEER LESS	Rost frei	
-----------------------	--------------	--

- made of high quality stainless steel in a black look
- suitable for all coat types and lengths
- suitable for medium to large breeds
- the Sprenger hook offers easy donning and the possibility of size adjustment

Article number	Length [cm]	Wire gauge
$516470_{-}57$	51 / 55 / 60 / 64 / 70 / 74 / 79	4.00 mm





- made of high quality stainless steel in a black look
- suitable for all coat types and lengths
- safe for both small and large breeds
- due to the high breaking load Assembly chain for easier donning provides a pull stop for tension

limitation

Article number	Length [cm]	Wire gauge
51545057	40 / 45 / 50 / 55 / 65 / 60	3.00 mm

with assembly chain and





#### Collar

Collar

Feature:

stainless steel black

Chain type: medium

ring

suitable for: short fur medium length fur

long fur

stainless steel black

Feature:	2 rings
suitable for:	short fur medium length fur long fur
Chain type:	medium



- medium sized links are sliding very well through the ring
- ideal for working with the dog

Article number	Length [cm]	Wire gauge
51541057	39 / 43 / 49 / 54 / 60 / 67 / 71	3.00 mm






SPRENGER



<b>Collar, extra</b> stainless steel	-		( Ro	ost eel	
a <b>suitable for:</b> sl m	oplication possible with nd without impact nort fur edium length fur ng fur	<ul> <li>fur saving</li> <li>eminently s</li> </ul>	trong		
Chain type: m	edium				
Article number	Length [cm]		Wire gauge		
51741057	48 / 52 / 57 / 60 / 64 /	68 / 73 / 77 / 81	5.00 mm		





#### Collar

Collar

Feature:

stainless steel black

suitable for: short fur

Chain type: long links

Article number

Collar

2 rings

medium length fur long fur

Length

515060\_\_57 43/46/50/53/57/61/65/72 3.00 mm

[cm]

stainless steel black

Feature:	with assembly chain and ring
suitable for:	short fur medium length fur long fur
Chain type:	long links

|--|

- made of high quality stainless steel in a black look
- suitable for all coat types and lengthslarge chain links reduce hair breakage
  - and are therefore optimal for long coat
- Assembly chain for easier donning provides a pull stop for tension limitation

(1872 D 1872

to link size and shape

Wire gauge

comfortable for long and fine fur due

Rost frei

Article number	Length [cm]	Wire gauge
51514057	46 / 50 / 54 / 58 / 61 / 64	3.00 mm







Feature: suitable for:	
Chain type:	2

stainless steel black

- extra wide chain links
- comfortable for long and fine fur due to link size and shape

Article number	Length [cm]	Wire gauge
51604 0 57	54 / 58 / 63 / 67 / 71 / 75	4.00 mm





Collar

stainless steel black

Feature: suitable for:	2
Chain type:	long links



P

comfortable for long and fine fur due to link size and shape

	Article number	Length [cm]	Wire gauge
516630_57 50/54/57/60/63/66/69/72 4.00 mm	$516630_{}57$	50 / 54 / 57 / 60 / 63 / 66 / 69 / 72	4.00 mm



**Collar, extra strong** stainless steel black




SPRENGER

recommended for large, strong dogs

Feature:2 ringssuitable for:short fur<br/>medium length fur<br/>long furChain type:long links

Article number	Length [cm]	Wire gauge
51763057	53 / 56 / 60 / 63 / 67 / 70 / 74 / 77 / 80	5.00 mm



#### NeckTech Fun with ClicLock

stainless steel black matt

Feature:	1 D-Ring
suitable for:	
	medium length fur
	long fur
Chain type:	NeckTech

Article number	Length	Width
50051 010 66	48 cm	20 mm
50051 014 66	60 cm	20 mm



- made of high quality stainless steel in a black look
- pleasant wearing comfort for all
- short- and long-haired breeds length can be varied by adding or removing individual links



#### Single Elements NeckTech Fun stainless steel black matt

Feature: Set of 2 Chain type: NeckTech

Article number	Length	Width
50506 000 66	3 cm	20 mm



- made of high quality stainless steel in a black look
- to extend the NechTech Fun
- extension by 3 cm per replacement link



#### NeckTech Sport with ClicLock stainless steel black matt

Feature: 1 ring

Article number	Length	Width
50050 010 66	48 cm	20 mm
50050 014 66	60 cm	20 mm



- safe and easy to apply due to the ClicLock
- quick and pinpoint influence



#### Single Elements NeckTech Sport


stainless steel black matt

suitable for:	short fur medium length fur long fur
Chain type:	NeckTech

Article number	Length	Width
50505 000 66	3 cm	20 mm



- for lengthening of the NechTech Sport
- Scope of delivery: 2 pcs. on self-service card



P





Feature: 1 ring

safe and easy to apply due to the

-

ClicLock quick and pinpoint influence







ULTRA-PLUS Training Collar with Center-Plate and ClicLock

stainless steel black



Feature: 2 rings

(SAN 2 107

Rost frei

for high professional training appr. 90% influence around the neck through four additional middle links and the direct connection of  $\ensuremath{\mathsf{ClicLock}}$ and links

Article number	Length	Wire gauge
50138 014 57	40 cm	2.25 mm
50108 014 57	58 cm	3.20 mm
50148 012 57	60 cm	4.00 mm

**ULTRA-PLUS Training Collar with Center-Plate** and Assembly Chain stainless steel black



- classic version for professional dog training
- pull limitation on the length of the assembly chain
- Article number Length Wire gauge Ø Chain 5003501057 41 cm 2.25 mm 2.00 mm 50004 010 57 58 cm 3.20 mm 3.00 mm 4.00 mm 5004501057 63cm 4.00mm




Feature: 1 ring and 1 swivel

and Assembly Chain stainless steel black

- classic version for professional dog
  - training
  - pull limitation on the length of the assembly chain

Article number	Length	Wire gauge	Ø Chain
50135 010 57	41 cm	2.25 mm	2.00 mm
50105 010 57	58 cm	3.20 mm	3.00 mm
50145 010 57	63 cm	4.00 mm	4.00 mm





Ros

# ULTRA-PLUS Training Collar with Center-Plate, Assembly Chain and ClicLock

stainless steel black

Feature: 1 ring and 1 swivel with ClicLock closure (stainless steel)

2 4 	Rost	
---------	------	--

- more flexibility between the dog collar
- and the leash due to the swivel safe and easy to apply due to the

SHER RE

- ClicLock
- pull limitation on the length of the assembly chain

Article number	Length	Wire gauge	Ø Chain
50122 009 57	41 cm	2.25 mm	2.00 mm
50132 009 57	58 cm	3.20 mm	3.00 mm

Article number	Length	Wire gauge	Ø Chain
50122 009 57	41 cm	2.25 mm	2.00 mm
50132 009 57	58 cm	3.20 mm	3.00 mm

and	PERMAN	Rost frei	

#### ULTRA-PLUS Training Collar with ClicLock Assembly Chain

stainless steel black

Feature: 1 ring and 1 swivel with ClicLock closure

(stainless steel)

- more flexibility between the dog collar
- and the leash due to the swivel
  - safe and easy to apply due to the ClicLock
  - pull limitation on the length of the assembly chain

Article number	Length	Wire gauge	Ø Chain
50101 010 57	41 cm	2.25 mm	2.00 mm
50131 010 57	58 cm	3.20 mm	3.00 mm
50141 010 57	63 cm	4.00 mm	3.00 mm

#### ULTRA-PLUS Easy On Training Collar with Center-Plate and Assembly Chain stainless steel black

2.25 mm

3.20 mm

Feature: 3 rings

50001 010 57 44 cm

50000 010 57 62 cm

Rost frei

- offers an easy donning
- pull limitation on the length of the assembly chain

SANCE 🔂 11



#### Middle links for lengthening

Article number Length Wire gauge

stainless steel black

Feature: 1 piece

Article number	Length	Wire gauge
50530 000 57	3 cm	2.25 mm
50500 000 57	4 cm	3.20 mm
50540 000 57	5 cm	4.00 mm















#### Middle links for lengthening stainless steel black

Feature: 3 pieces in Set

Article number	Length	Wire gauge
50530 503 57	3 cm	2.25 mm
50500 503 57	4 cm	3.20 mm
50540 503 57	5 cm	4.00 mm

#### Show Collar - Standard stainless steel black

Feature: chain 51506

Article number	Length	Wire gauge
51508 056 57	56 cm	3.00 mm
51508 064 57	64 cm	3.00 mm
51508 072 57	72 cm	3.00 mm




SPRENGER

Rost frei

(INCE 🔁 117

special collar preferentially used for training resp. exam preparation





# **STAINLESS** STEEL

#### QUALITY WITH TRADITION High quality dog collars made of stainless steel

The numerous advantages of this quality are the reason why especially dog sportsmen and professional trainers use stainless steel collars.

Special processing steps in production and the selection of materials create properties such as seawater resistance, robustness and safety.

When buying a stainless steel product, pay attention to our metal tag with the red dot and to the HS-GERMANY INOX stamp on all rings and swivels, which guarantees you the described premium SPRENGER-quality.

- SOLID MATERIAL POLISHED
- ABSOLUTELY STAINLESS
- SEAWATER RESISTANT

CARE WITH OUR DIAMOND PASTE (METAL POLISH)

HANDCRAFTED FOR DOGSPORTS SINCE 1872



#### **STAINLESS STEEL**

#### Twin Row Martingale Collar

stainless steel

Feature:	with assembly chain and
	ring
suitable for:	short fur
Chain type:	flat polished

HADE OF	Rost	
---------	------	--

- made of high quality stainless steel
- ideal for short haired breeds
- Assembly chain for easier donning provides a pull stop for tension limitation

Article number	Length [cm]	Wire gauge
$508810_{}55$	30 / 35 / 40 / 45 / 50 / 55 / 60	2.00 mm



#### Collar with ULTRA-Plate

stainless steel

(WE G) (MAX = 10) (CRAME

Feature: limited traction suitable for: short fur Chain type: round

infinitely adjustable by moving	, the
ULTRA-plate	

ideal for short haired breeds

Article number	Length [cm]	Wire gauge
50906 0 55	40 / 45 / 50 / 55 / 60 / 65	2.50 mm





to

Feature:2 ringssuitable for:short furChain type:round

Collar

stainless steel

runs very well through	the	ring	due
the short links			

ideal for short haired breeds

Article number	Length [cm]	Wire gauge
$508030_{}55$	30 / 35 / 40 / 45 / 50 / 55 / 60 / 65	2.00 mm



**Collar** stainless steel

suitable for: short fur

Chain type: round

Feature:

2 rings



- runs very well through the ring due to the short links
- ideal for short haired breeds

Article number	Length [cm]	Wire gauge
50903 0 55	40 / 45 / 50 / 55 / 60 / 65	2.50 mm



P







#### Collar stainless steel

Feature: 2 rings suitable for: short fur Chain type: round



SPRENGER

- runs very well through the ring due to
- the short links ideal for short haired breeds
- Length Article number Wire gauge [cm] 513810\_55 45/50/55/60/65/70/75/80 4.00 mm





#### Collar with SPRENGER hook

stainless steel

Feature: suitable for:	without traction effect short fur medium length fur long fur
Chain type:	medium



- made of high quality stainless steel
- with SPRENGER hook for individual size adjustment
- for all dog breeds especially for medium dogs
- with high wearing comfort without pull

Article number	Length [cm]	Wire gauge
51547 0 55	45 / 50 / 55 / 60 / 65 / 70 / 75	3.00 mm



#### Collar with SPRENGER hook

stainless steel

Feature: without traction effect suitable for: short fur medium length fur long fur Chain type: medium

Collar with SPRENGER hook

1 fixed ring

1 loose ring

stainless steel

suitable for: short fur

Chain type: medium

Feature:

HADE GY SHEET ISS REPHAN	Rost	
--------------------------------	------	--

- made of high quality stainless steel for medium sized dogs
- nning nent

the Sprenger hook offers easy dor
and the possibility of size adjustm

Article number	Length [cm]	Wire gauge
$51647\ 0_{}\ 55$	51 / 55 / 60 / 64 / 70 / 74 / 79	4.00 mm





- made of high quality stainless steel
- for medium sized dogs
- the Sprenger hook offers easy donning and the possibility of size adjustment can be attached to the leash with or
- without traction

Article number	Length [cm]	Wire gauge
52547 0 55	45 / 50 / 55 / 60	3.00 mm

medium length fur long fur



#### Collar with SPRENGER hook

stainless steel

Feature:	1 fixed ring 1 loose ring
suitable for:	short fur medium length fur long fur
Chain type:	2


Article number	Length [cm]	Wire gauge
52647 0 55	55 / 60 / 65 / 70	4.00 mm



- made of high quality stainless steel
   suitable for all coat types and lengths
- for medium sized dogs
- the Sprenger hook offers easy donning and the possibility of size adjustment can be attached to the leash with or
  - without traction







[cm]

525400 55 36/40/44/48/54/60 3.00 mm

Article number

Collar





- made of high quality stainless steel
- suitable for all coat types and lengths
- for medium sized dogs

Wire gauge

- restriction to the length of the assembly chain
- the Sprenger hook offers easy donning and the possibility of size adjustment



Article numb	er Length [cm]	
Chain type:	medium	III
suitable for:	short fur medium length fur long fur	■ As pro
Feature:	with assembly chain and ring	■ ma ■ su
stainless ste	el	

515450\_55 40/45/50/55/60/65/70 3.00 mm



- ade of high quality stainless steel uitable for all coat types and lengths
- ssembly chain for easier donning rovides a pull stop for tension mitation

\*\*\* 🕞 1

Rost frei

Wire gauge





stainless ste	el	
Feature: suitable for:	3 rings and ClicLock clasp short fur medium length fur long fur	safe and easy to apply due to the ClicLock
01	12	

Chain type: medium

Collar with ClicLock

Article number	Length [cm]	Wire gauge
51544055	42 / 46 / 50 / 54 / 58 / 62	3.00 mm



Chain type: medium

Feature:

2 rings

long fur

suitable for: short fur medium length fur



- medium sized links are sliding very well
- through the ring
- ideal for working with the dog

Article number	Length [cm]	Wire gauge
51541055	39 / 43 / 49 / 54 / 60 / 67 / 71	3.00 mm



#### **STAINLESS STEEL**

#### Collar, extra strong

stainless steel

Feature:	2 rings
suitable for:	
	medium length fur
	long fur
Chain type:	medium

HADE CO INCOME DIASS	Rost frei	
-------------------------	--------------	--

- fur saving
  eminently strong
  especially suitable for large breeds

Article number	Length [cm]	Wire gauge
51641 0 55	51 / 54 / 58 / 63 / 69 / 74 / 79 / 85	4.00 mm



PADE OF ORE DIASE	Rost	
----------------------	------	--


stainless steel	
Feature: suitable for:	2
Chain type:	medium

Collar, extra strong

recommended for large, strong dogs

Article number	Length [cm]	Wire gauge
51741 0 55	48 / 52 / 57 / 60 / 64 / 68 / 73 / 77 / 81	5.00 mm





#### STAINLESS STEEL











Feature:	limited traction and SPRENGER hook 60250
suitable for:	short fur medium length fur long fur
Chain type:	long links

Length

Collar, adjustable

stainless steel

Collar

Collar

stainless steel Feature:

ring


long fur

suitable for: short fur

Chain type: long links


A

ited traction and	
RENGER hook 60250	
ort fur dium length fur la fur	1
iy iui	



Article number	[cm]	Wire gauge
51616055	60 / 65 / 70 / 75 / 80 / 85	4.00 mm

Article numb	er Length	Wire gauge
Feature: suitable for: Chain type:	medium length fur long fur	<ul> <li>made of high qual</li> <li>suitable for all co.</li> <li>large chain links r and are therefore</li> <li>Assembly chain for provides a pull stor limitation</li> </ul>
stainless ste	el	Constant.





- made of high quality stainless steel
- suitable for all coat types and lengths large chain links reduce hair breakage and are therefore optimal for long coat
- suitable for medium to large breeds Assembly chain for easier donning provides a pull stop for tension

limitation

Article number	Length [cm]	Wire gauge
51614 0 55	52/56/61/65/70	4.00 mm

with assembly chain and

medium length fur

Rost	

SPRENGER



ality stainless steel

(2002 🗗 107

made of high quality stainless steel suitable for all coat types and lengths restriction to the length of the

Rost frei

- oat types and lengths reduce hair breakage e optimal for long coat
- or easier donning op for tension

31 -

#### Collar

#### stainless steel

Collar, long links

2 rings

suitable for: short fur medium length fur long fur

stainless steel Feature:

Feature:	with assembly chain and
	ring
suitable for:	
	medium length fur
	long fur
Chain type:	long links

|--|--|

- made of high quality stainless steel
- Iarge chain links reduce hair breakage and are therefore optimal for long coat
- suitable for medium to large breeds
- Assembly chain for easier donning provides a pull stop for tension . limitation

CHICE 1872

to link size and shape


comfortable for long and fine fur due


Wire gauge

Rost frei


Article number	Length [cm]	Wire gauge	
51682055	55/58/61/65	4.00 mm	

Checomo Po	
	9
Person a	





	 		_
ADE			



Chain type: long links

Collar

- extra wide chain links
- comfortable for long and fine fur due to link size and shape

Article number	Length [cm]	Wire gauge
51604 0 55	54 / 58 / 63 / 67 / 71 / 75 / 80	4.00 mm

medium length fur long fur





#### Collar

stainless steel

2 rings Feature: suitable for: short fur medium length fur long fur Chain type: long links



A

comfortable for long and fine fur due to link size and shape

Article number	Length [cm]	Wire gauge
$516630_{}55$	50 / 54 / 57 / 63 / 60 / 69 / 66 / 75 / 72	4.00 mm

#### **STAINLESS STEEL**



Collar, extra strong stainless steel




SPRENGER

recommended for large, strong dogs

Feature:2 ringssuitable for:short fur<br/>medium length fur<br/>long furChain type:long links

Article number	Length [cm]	Wire gauge
51763055	53 / 56 / 60 / 63 / 67 / 70 / 74 / 77 / 80	5.00 mm



#### NeckTech Fun with ClickLock

stainless steel

1 D-Ring short fur medium length fur long fur
NeckTech

Article number	Length	Width
50051 010 55	48 cm	20 mm
50051 014 55	60 cm	20 mm



- made of high quality stainless steel
- pleasant wearing comfort for all
- short- and long-haired breeds length can be varied by adding or
- removing individual links
- safe and easy to apply due to the ClicLock



### NeckTech Fun with Assembly Chain stainless steel

Feature:	swivel and snap hook
suitable for:	
	medium length fur
	long fur

Chain type: NeckTech

ClicLock stainless steel

Feature:

suitable for: short fur

Chain type: NeckTech

Article numberLength50166 010 5555 cm

- Rost International Internation
- made of high quality stainless steel
- pleasant wearing comfort for all short- and long-haired breeds
- length can be varied by adding or
- removing individual linkssnap hook with screw connection to prevent unintentional opening



Article number	Length	Width	Ø Chain
50156 010 55	48 cm	20 mm	3.00 mm
50156 014 55	60 cm	20 mm	3.00 mm

NeckTech Fun with Assembly Chain and

and ClicLock closure (stainless steel)

medium length fur

50166 014 55 64 cm 20 mm 3.00 mm

Width Ø Chain

20 mm 3.00 mm

with swivel

long fur



- made of high quality stainless steel
- pleasant wearing comfort for all
- short- and long-haired breeds
- length can be varied by adding or
- removing individual links
- with high-quality ClicLock closure for easy opening and closing



#### Single Elements NeckTech Fun

stainless steel

Feature: Set of 2 Chain type: NeckTech


Article number	Length	Width
50506 000 55	3 cm	20 mm



- made of high quality stainless steel
- to extend the NechTech Fun
- extension by 3 cm per replacement link







Feature:	1 ring
suitable for:	
	medium length fur
	long fur
Chain type:	NeckTech

Article number	Length	Width
50050 010 55	48 cm	20 mm
50050 014 55	60 cm	20 mm

NeckTech Sport with Assembly Chain

Article number Length Width Ø Chain

5015501455 60 cm 20 mm 3.00 mm

20 mm 3.00 mm

swivel and snap hook



SPRENGER

- made of high quality stainless steel
- pleasant wearing comfort for all
- short- and long-haired breeds length can be varied by adding or
- removing individual links safe and easy to apply due to the ClicLock



#### suitable for: short fur medium length fur long fur Chain type: NeckTech

50155 010 55 48 cm

stainless steel Feature:

	PARE LA		Rost		6
--	---------	--	------	--	---

- made of high quality stainless steel
- pleasant wearing comfort for all
- short- and long-haired breeds length can be varied by adding or
- removing individual links snap hook with screw connection to prevent unintentional opening

	And Base	
Į		



#### NeckTech Sport with Assembly Chain and ClicLock

stainless steel

Feature:	with swivel and ClicLock closure (stainless steel)
suitable for:	short fur medium length fur long fur
Chain type:	NeckTech

Article number	Length	Width	Ø Chain
50165 010 55	55 cm	20 mm	3.00 mm
50165 014 55	64 cm	20 mm	3.00 mm




- made of high quality stainless steel
- pleasant wearing comfort for all
- short- and long-haired breeds length can be varied by adding or
- removing individual links
- with high-quality ClicLock closure for easy opening and closing

#### Single Elements NeckTech Sport

stainless steel

Feature: Set of 2 Chain type: NeckTech





quality stainless steel

made of high

- for lengthening of the NechTech Sport
- extension by 3 cm per replacement link

Feature: 1 D-Ring

50138 014 55

50108 014 55 58 cm

#### ULTRA-PLUS Training Collar with Center-Plate and ClicLock stainless steel

2.25 mm

3.20 mm



- for high professional training
- appr. 90% influence around the neck through four additional middle links and the direct connection of ClicLock and links



#### **ULTRA-PLUS Training Collar with Center-Plate** and ClicLock

2.25 mm

2.25 mm

3.20 mm

4.00 mm



50037 010 55 40 cm

50047 010 55 60 cm

safe and easy to apply due to the

Rost frei

Feature: 1 D-Ring

Article number | Length | Wire gauge

Article number | Length | Wire gauge

50148 012 55 60 cm 4.00 mm

40 cm

ClicLock

(000CE () 18

quick and pinpoint influence

AL C	200	






stainless steel Feature: 2 rings

and ClicLock stainless steel

Article number	Length	Wire gauge
50039 010 55	40 cm	2.25 mm
50029 010 55	52 cm	3.20 mm
50049 010 55	60 cm	4.00 mm

centered leash attachment by clapsing the hook of the leash into both rings







- Feature: 2 rings and restriction
- Article number Length Wire gauge 50036 010 55 40 cm 2.25 mm 50026 010 55 52 cm 3.20 mm
- training with or without restriction is possible by choosing the respective ring for attaching the leash









SPRENGER

Feature: 2 rings

classic version for professional dog training

Article number	Length	Wire gauge	Ø Chain
50035 010 55	41 cm	2.25 mm	2.00 mm
50004 010 55	58 cm	3.20 mm	3.00 mm
50045 010 55	63 cm	4.00 mm	4.00 mm







#### ULTRA-PLUS Training Collar with ClicLock and Assembly Chain stainless steel

Feature: 1 ring and 1 swivel with ClicLock closure (stainless steel)



- more flexibility between the dog collar
- and the leash due to the swivel safe and easy to apply due to the ClicLock

Art	icle number	Length	Wire gauge
501	.31 010 55	47 cm	2.25 mm
501	.01 010 55	63 cm	3.20 mm
501	41 010 55	70 cm	4.00 mm

Feature: 1 ring and 1 swivel

#### ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain stainless steel




- more flexibility between the dog collar
  - and the leash due to the swivel classic version for professional dog
  - training

Article number	Length	Wire gauge	Ø Chain
50135 010 55	41 cm	2.25 mm	2.00 mm
50105 010 55	58 cm	3.20 mm	3.00 mm
50145 010 55	63 cm	4.00 mm	4.00 mm


## MICRO-PLUS Training Collar with Center-Plate and Assembly Chain

stainless steel

Feature: 2 rings







- pull limitation on the length of the assembly chain
- classic version for professional dog training

P



#### **STAINLESS STEEL**

#### ULTRA-PLUS Micro Prong Training Collar with Center-Plate and Assembly Chain especially ×.



Feature: 1 ring and 1 swivel



- for small dogs
- pull limitation on the length of the assembly chain
- classic version for professional dog training

Article number	Length	Wire gauge
50175 012 55	32 mm	1.50 mm

ticle number	Length	Wire gauge
175 012 55	32 mm	1.50 mm







- Feature: 1 ring and 1 swivel with ClicLock closure (stainless steel)
- more flexibility between the dog collar and the leash due to the swivel
- safe and easy to apply due to the ClicLock

Article number	Length	Wire gauge	Ø Chain
50122 009 55	41 cm	2.25 mm	2.00 mm
50132 009 55	58 cm	3.20 mm	3.00 mm

**ULTRA-PLUS Training Collar with Center-Plate** and Assembly Chain



Feature: swivel and snap hook

- SANCE 5 1 Rost frei
- more flexibility between the dog collar and the leash due to the swivel
- classic version for professional dog
- training
- Quick release by using snap hook 60490

Article number	Length	Wire gauge	Ø Chain
50103 010 55	58 cm	3.20 mm	3.00 mm
50143 010 55	63 cm	4.00 mm	4.00 mm

ULTRA-PLUS Easy On Training Collar with Center-Plate and Assembly Chain stainless steel



- Feature: 3 rings
- Wire gauge Article number Length 50001 010 55 44 cm 2.25 mm 50000 010 55 62 cm 3.20 mm



- offers an easy donning
- pull limitation on the length of the assembly chain






A











Middle links for lengthening

stainless steel

Feature: 3 pieces in Set

stainless steel Feature: 1 piece

50530 000 55 3 cm

50500 000 55 4 cm

50540 000 55 5 cm

Article number Length Wire gauge

2.25 mm

3.20 mm

4.00 mm



#### Show Collar - Standard stainless steel

Feature: chain 51506

Article number	Length	Wire gauge
51508 056 55	56 cm	3.00 mm
51508 064 55	64 cm	3.00 mm
51508 072 55	72 cm	3.00 mm



special collar preferentially used for training resp. exam preparation

PERMAN

Rost





Feature: chain 51506

Article number	Length	Wire gauge
51518 056 55	56 cm	3.00 mm
51518 064 55	64 cm	3.00 mm
51518 072 55	72 cm	3.00 mm



- very special chain preferentially used for training resp. exam preparation
- supporting effect





SPRENGER







## THE NICKEL-FREE ALTERNATIVE High quality dog collars made of CUROGAN

This quality was developed for dogs that react to other materials with a discoloured fur. CUROGAN is an excellent alternative for over 90% of these dogs.

In addition to their anti-allergic properties (nickel-free), CUROGAN collars are very popular because of their appealing appearance. The high copper content gives the collar a brilliant color that darkens in use. With the help of our Diamond Paste, the original condition can be restored at any time.

Due to the high copper content, these chains have a higher material abrasion inside. Therefore we recommend to check the collars visually on a regular basis and to replace them in time.

- SPECIAL COPPER ALLOY WITH HIGH STRENGTH
- SOLID MATERIAL POLISHED
- **NICKEL-FREE**
- **STAINLESS**
- MAINTENANCE WITH OUR DIAMOND PASTE (METAL POLISH)

erm, Jurengen

HANDCRAFTED FOR DOGSPORTS SINCE 1872



#### Collar CUROGAN

Feature: 2 rings suitable for: short fur Chain type: round

Article number	Length [cm]	Wire gauge
$511120_{}67$	40 / 45 / 50 / 55 / 60 / 65	3.00 mm

WADE IN

runs very well through the ring due to the short links
 ideal for short haired breeds



Herm. Grenger





PADE /g






<b>Collar</b> CUROGAN			
	vith assembly chain and ing		gh quality nickel free matte red gold look
	hort fur nedium length fur ong fur	Assembly	chain for easier donning pull stop for tension
Chain type: r	nedium	IIIIIItatioII	
Article numbe	r Length [cm]	Wire gauge	
$515450_{}67$	40 / 45 / 50 / 55 / 60 / 65	3.00 mm	

## **Collar** CUROGAN

Feature:	2 rings
suitable for:	
	medium length fur
	long fur
Chain type:	medium

- medium sized links are sliding very well through the ring ideal for working with the dog





#### Collar

CUROGAN

Feature:	with assembly chain and ring
suitable for:	short fur medium length fur long fur
Chain type:	long links

HADEW
( 1 M C C ( 1 M 7 2 )
OF RHANK!

SALE STE

- made of high quality nickel free curogan in matte red gold look
- suitable for all coat types and lengths Iarge chain links reduce hair breakage
- and are therefore optimal for long coat
- Assembly chain for easier donning provides a pull stop for tension
  - limitation

and the second
Sund
δ D
R

Article number	Length [cm]	Wire gauge
51514 0 67	42 / 46 / 50 / 54 / 58 / 61 / 64	3.00 mm

#### Collar CUROGAN

Collar CUROGAN

Feature:	with assembly chain and ring
suitable for:	short fur medium length fur long fur
Chain type:	long links

- made of high quality nickel free
- curogan in red gold look suitable for all coat types and lengths
- Iarge chain links reduce hair breakage
- and are therefore optimal for long coat
- suitable for medium to large breeds
- Assembly chain for easier donning provides a pull stop for tension limitation

Article number	Length [cm]	Wire gauge
51614067	52 / 56 / 61 / 65 / 70 / 74 / 79	4.00 mm





Feature:	2 rings
suitable for:	short fur
	medium length fur
	long fur
Chain type:	long links

Article number	Length [cm]	Wire gauge
51506 0 67	46 / 50 / 53 / 57 / 61 / 65	3.00 mm







CUROGAN

Feature:



long fur

Chain type: long links

- extra wide chain links
- comfortable for long and fine fur due to link size and shape

to link size and shape

Article number	Length [cm]	Wire gauge
51604067	54 / 58 / 63 / 66 / 71 / 75	4.00 mm



P

SALE SALE





**Collar** CUROGAN

Feature:2 ringssuitable for:short fur<br/>medium length fur<br/>long furChain type:long links

comfortable for long and fine fur due to link size and shape

Article number	Length [cm]	Wire gauge
$516630_{}67$	50 / 53 / 56 / 59 / 63 / 66 / 69	4.00 mm



#### NeckTech Fun with ClicLock CUROGAN matt

Feature: 1 D-Ring suitable for: short fur medium length fur long fur

long fur Chain type: NeckTech

Article number	Length	Width
50051 010 68	48 cm	20 mm
50051 014 68	60 cm	20 mm

#### RADE LO INCE DITO CENTING

- made of high quality nickel free
- curogan in matte red gold look pleasant wearing comfort for all
- short- and long-haired breeds
  length can be varied by adding or
- removing individual links safe and easy to apply due to the
- ClicLock



## Single Elements NeckTech Fun CUROGAN matt

Feature: Set of 2 Chain type: NeckTech

Article number	Length	Width
50506 000 68	3 cm	20 mm





- quality nickel free curogan in matte red gold look
- to extend the NechTech Fun
- extension by 3 cm per replacement link



#### NeckTech Sport with ClicLock CUROGAN matt

Feature:	1 D-Ring
suitable for:	
	medium length fur
	long fur
Chain type:	NeckTech

Article number	Length	Width
50050 010 68	48 cm	20 mm
50050 014 68	60 cm	20 mm



- made of high quality nickel free
- curogan in matte red gold look pleasant wearing comfort for all
- short- and long-haired breeds length can be varied by adding or
- removing individual links safe and easy to apply due to the
- ClicLock



#### Single Elements NeckTech Sport CUROGAN matt

Feature: Set of 2 Chain type: NeckTech

Article number	Length	Width
50505 000 68	3 cm	20 mm



- made of high quality nickel free curogan in matte red gold look
- for lengthening of the NechTech Sport
- extension by 3 cm per replacement link







ULTRA-PLUS Training Collar with Center-Plate and ClicLock CUROGAN

2.25 mm

3.20 mm

4.00 mm

Feature: 1 D-Ring

50037 010 67 40 cm

50007 010 67 52 cm

50047 010 67 60 cm

Article number Length Wire gauge

- safe and easy to apply due to the
- ClicLock quick and pinpoint influence



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain CUROGAN



SHEE ST

Feature: 2 rings

- pull limitation on the length of the assembly chain
- classic version for professional dog training

Article number	Length	Wire gauge	Ø Chain
50035 010 67	41 cm	2.25 mm	2.50 mm
50004 010 67	58 cm	3.20 mm	3.00 mm
50045 010 67	63 cm	4.00 mm	4.00 mm



2.25 mm

Feature: 3 rings

5000101067 44 cm

- offers an easy donningpull limitation on the length of the
  - assembly chain





Middle links for lengthening

Article number Length Wire gauge

5000001067 62cm 3.20mm

CUROGAN

Feature: 1 piece

Article number	Length	Wire gauge
50530 000 67	3 cm	2.25 mm
50500 000 67	4 cm	3.20 mm
50540 000 67	5 cm	4.00 mm



A


Middle links for lengthening CUROGAN

Feature: 3 pieces in Set

Article number	Length	Wire gauge
50530 503 67	3 cm	2.25 mm
50500 503 67	4 cm	3.20 mm
50540 503 67	5 cm	4.00 mm


















## HIGH GLOSS OPTICS COMBINED WITH A ROBUST SURFACE High quality dog collars made of chrome-plated steel

Chrome-plated collars manufactured by SPRENGER are characterised by their high-gloss surface. The result is achieved by a special surface polish that ensures that the nickel and chrome layers adhere particularly well. The collars receive double and therefore long-term protection against rust.

Surface damage caused by external influences can attack the steel core. Therefore, we cannot give any guarantee against corrosion for collars and other articles made of steel.

DOUBLE RUST PROTECTION BY NICKEL AND CHROME LAYERHIGH-GLOSS SURFACE

AFTER CLEANING WITH A MILD DETERGENT OR RINSING AGENT, DRY CAREFULLY

Herm, Mirenger

HANDCRAFTED FOR DOGSPORTS SINCE 1872

A

## SPRENGER



A

- 52



#### Twin Row Martingale Collar

steel chrome plated

Feature:	with assembly chain and ring
suitable for:	short fur
Chain type:	flat polished

Article number	Length [cm]	Wire gauge
50881002	35 / 40 / 45 / 50 / 55 / 60	2.00 mm



#### **Triple Row Martingale Collar**

steel chrome plated

Feature:	with assembly chain and ring
suitable for:	short fur
Chain type:	flat polished

made of chromed steel in a highly complementary look

choosing the right length: neck circumference of the dog + 5 cm

collar

in longer lengths purely decorative

Satt Satt

Satt 5 10

- ideal for short haired breeds
- Assembly chain for easier donning provides a pull stop for tension limitation

Article number	Length [cm]	Wire gauge
50883002	45 / 50 / 55 / 60 / 65	2.00 mm





Feature:	2 rings
suitable for:	short fur
Chain type:	round

Collar

- runs very well through the ring due to the short links
- н. ideal for short haired breeds
- in longer lengths purely decorative collar

Article number	Length [cm]	Wire gauge
502010_02	20 / 25 / 30 / 35 / 40 / 45	1.35 mm



Collar

steel chrome plated

2 rings Feature: suitable for: short fur Chain type: round



- runs very well through the ring due to the short links
- ideal for short haired breeds
- in longer lengths purely decorative collar

Length Article number Wire gauge [cm] 507020\_02 30/35/40/45/50/55/60 1.50 mm





SPRENGER

P



### STEEL

#### Collar

steel chrome plated

Feature:2 ringssuitable for:short furChain type:flat polished

- very attractive appearance
- runs very well through the ring due to the short links
- ideal for short haired breeds
- in longer lengths purely decorative collar
- Article number
   Length [cm]
   Wire gauge

   50922 0\_\_02
   30/35/40/45/50/55/60/65/70/50
   2.50 mm



#### Collar

#### steel chrome plated

Feature: 2 rings suitable for: short fur Chain type: round and narrow

WADE IN
SALE STE
SHAP

- very attractive appearance
- runs very well through the ring due to
- the short links
- ideal for short haired breeds

Article number	Length [cm]	Wire gauge
51012 0 02	40 / 45 / 50 / 55 / 60 / 65 / 70 / 75	3.00 mm



#### Collar

steel chrome plated

Feature:	2 rings
suitable for:	short fur
Chain type:	flat polished and narrow

- very attractive appearance
- runs very well through the ring due to
- the short links ideal for short haired breeds

Article number	Length [cm]	Wire gauge
510220_02	45 / 50 / 55 / 60 / 65 / 70	3.00 mm



Collar

steel chrome plated

Feature:2 ringssuitable for:short furChain type:round

WADEL
ante 🖂 1972)
CANKN

SHEE 507

- runs very well through the ring due to the short links
- ideal for short haired breeds

Article number	Length [cm]	Wire gauge
51112002	40 / 45 / 50 / 55 / 60 / 65 / 70	3.00 mm



P



P

SPRENGER



#### Collar

steel chrome plated


Feature:2 ringssuitable for:short furChain type:round

House 14
( 1 M E E E 1 M 7 2 )
Of our and
A HINK

runs very well through the ring due to the short links
ideal for short haired breeds
especially suitable for large breeds

Article number	Length [cm]	Wire gauge
51401002	60 / 65 / 70 / 75 / 80	5.00 mm









A



#### Collar

Collar

Feature:

Collar

Feature:

steel chrome plated

suitable for: short fur

Chain type: long links

Article number

2 rings

medium length fur long fur

> Length [cm]

515060\_02 43/47/50/54/58/62/66 3.00 mm

steel chrome plated

suitable for: short fur

Chain type: long links

2 rings

medium length fur long fur

#### steel chrome plated

Feature:	1 ring and extra long chain link
suitable for:	short fur medium length fur long fur
Chain type:	long links

- extra long middle-link
- the leash is attached to the long
- middle link for minimum impact

recommended for small, long-haired

comfortable for long and fine fur due

to link size and shape

Wire gauge

8

SALE STE

SHEE 5 1870

SALE 5 1975


fur saving

breeds

Article number	Length [cm]	Wire gauge
51632002	45 / 48 / 51 / 54 / 57 / 60	4.00 mm











Collar

steel chrome plated

Feature:	2 rings
suitable for:	short fur
	medium length fur
	long fur
Chain type:	long links

extra wide links

comfortable for long and fine fur due to link size and shape

Article number	Length [cm]	Wire gauge
51604 0 02	58 / 62 / 50 / 54 / 67 / 72 / 76 / 80 / 84	4.00 mm







**Collar** steel chrome plated

Feature: 2 rings suitable for: short fur medium length fur long fur Chain type: long links  comfortable for long and fine fur due to link size and shape

Article number	Length [cm]	Wire gauge
51663002	50 / 53 / 57 / 60 / 63 / 66 / 69	4.00 mm



#### ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain steel chrome plated

Feature: 2 rings


classic version for professional dog
training

(sate () 1972

Article number	Length	Wire gauge	Ø Chain
50035 010 02	41 cm	2.25 mm	2.00 mm
50015 010 02	55 cm	3.00 mm	3.00 mm
50004 010 02	58 cm	3.20 mm	3.40 mm
50045 010 02	63 cm	4.00 mm	4.00 mm

and a state of the	
Alexa Coole	
P D C	

 $\bigcirc$ 



Feature: 2 rings

 classic version for professional dog training

Article number	Length	Wire gauge	Ø Chain
50004 010 01	58 cm	3.20 mm	3.40 mm
50045 010 01	63 cm	4.00 mm	4.00 mm

#### ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

SHEE 1972

SALE 5 1975

steel chrome plated

- Feature: 1 ring and 1 swivel
- classic version for professional dog training

Article number	Length	Wire gauge	Ø Chain
50135 010 02	41 cm	2.25 mm	2.00 mm
50115 010 02	55 cm	3.00 mm	3.00 mm
50105 010 02	58 cm	3.20 mm	3.40 mm
50145 010 02	63 cm	4.00 mm	4.00 mm

#### ULTRA-PLUS Training Collar with Center-Plate and Assembly

Chain steel chrome plated

Article number | Length | Wire gauge 5008501402 60 cm 3.00 mm

Feature: 2 rings

- for an even more precise
- impact pull limitation on the length of the assembly chain
- classic version for professional dog training

Contraction of the second	Contraction of the second seco
and the second	Cong
A C	
Sec.	The Ca




61 -










Feature: 1 ring and 1 swivel

- impact
- pull limitation on the length of the assembly chain





ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain	
steel chrome plated	

Feature: 1 ring, swivel and scissor snap hook

no opening of the scissor snap hook under tension

Article number	Length	Wire gauge	Ø Chain
50136 010 02	41 cm	2.25 mm	2.00 mm
50116 010 02	54 cm	3.00 mm	3.00 mm
50106 010 02	58 cm	3.20 mm	3.40 mm
50146 010 02	63 cm	4.00 mm	4.00 mm

#### Middle links for lengthening

steel nickel plated

Feature: 1 piece

Article number	Wire gauge
50500 000 01	3.20 mm
50540 000 01	4.00 mm

#### Middle links for lengthening

steel chrome plated

Feature: 1 piece

Article number	Length	Wire gauge
50530 000 02	3 cm	2.25 mm
50510 000 02	4 cm	3.00 mm
50500 000 02	4 cm	3.20 mm
50540 000 02	5 cm	4.00 mm



SALE JU

SALE ST





SPRENGER

Ø

#### Middle links for lengthening

steel chrome plated

Feature: 3 pieces in Set

Article number	Length	Wire gauge
50530 503 02	3 cm	2.25 mm
50510 503 02	4 cm	3.00 mm
50500 503 02	4 cm	3.20 mm
50540 503 02	5 cm	4.00 mm





ULTRA Chain	-PLUS Training Collar with Center-Plate and Assembly
steel br	owned

HADE IN
(sace () 1972)
CERMAN <sup>4</sup>

Feature: 1 ring and 1 swivel

classic version for pro	fessional dog
training	

Article number	Length	Wire gauge	Ø Chain
50115 010 13	55 cm	3.00 mm	3.00 mm
50145 010 13	63 cm	4.00 mm	4.00 mm



Middle links for lengthening
steel browned

Feature: 1 piece

Article number	Wire gauge
50510 000 13	3.00 mm
50540 000 13	4.00 mm





Middle links for lengthening

steel browned

Feature: 3 pieces in Set

Article number	Wire gauge
50510 503 13	3.00 mm
50540 503 13	4.00 mm





#### **Coupling chain**

steel chrome plated

1 ring and 2 SPRENGER scissor snap hooks 60020 Feature: with swivel Chain type: round

Article number	Length	Wire gauge
51900 038 02	38 cm	1.50 mm
51950 042 02	42 cm	3.00 mm

- made of chromed steel in a highly complementary look
- for simultaneously leading two dogs on one leash
- with Sprenger pincer hook for easy leashing
- Opening of the pincer hook under tension is not possible





steel chrome plated

1 ring and 2 snap hooks 60490 Feature: Chain type: round

Article number	Length	Wire gauge
51905 040 02	40 cm	1.50 mm
51927 033 02	33 cm	2.00 mm
51949 042 02	42 cm	2.50 mm
51955 048 02	48 cm	3.00 mm
51955 056 02	56 cm	3.00 mm
51984 075 02	75 cm	3.00 mm

#### Coupling chain

Chain type: round

Feature:

steel chrome plated

SALE STT

- made of chromed steel in a highly
- complementary look for simultaneously leading two dogs on
- one leash with robust and durable snap hook for easy leashing





- 1 ring and 2 SPRENGER hooks 60250 made of chromed steel in a highly complementary look
  - for simultaneously leading two dogs on one leash
    - with robust and durable snap hook for easy leashing



Article number	Length	Wire gauge
51993 061 02	61 cm	4.00 mm

#### **Chain Leash**

steel chrome plated

Feature:	1 end with swivel - the other end with SPRENGER scissor snap hook 60020
Chain type:	round




- made of chromed steel in a highly complementary look due to the chain piece, as a connection
- between the leash and the collar, there is no more biting of the leash
- with Sprenger pincer hook for easy leashing
- Opening of the pincer hook under tension is not possible

Article number	Length	Wire gauge	Inner width
52150 040 02	40 cm	1.50 mm	13 mm
52200 040 02	40 cm	2.00 mm	13 mm
52420 040 02	40 cm	3.00 mm	16 mm



A





Feature:	2 snap hooks 60400 a relief spring
Chain type:	round

Article number	Length	Wire gauge
55711 200 01	200 cm	4.00 mm
55711 250 01	250 cm	4.00 mm

high-gloss finish

SPRENGER





## SPRENGER

Y

6

WWWW

# ACCESSORIES

## SELECTED WITH CARE AND ATTENTION TO PREMIUM QUALITY

SPRENGER offers you a choice of accessories which do not come exclusively from our own production, but which absolutely meet our quality standards.

Due to the long-standing partnership with our suppliers, we can also guarantee a consistently high quality in this product area.

- SILENT TRAINING WHISTLES FROM OUR IN-HOUSE PRODUCTION
- REFLECTING LEASHES, COLLARS AND HARNESSES WITH RELIABLE FITTINGS
- **PARACORD COLLARS WITH OUR CLICLOCK CLOSURE** FOR MAXIMUM SAFETY AND HIGH-QUALITY HAPTIC
- FIRST-QUALITY TOYS FOR BEST POSSIBLE TRAINING SUCCESS
- SELECTED BRUSHES AND COMBS FROM SUPERIOR MATERIALS

ingo

HANDCRAFTED FOR DOGSPORTS SINCE 1872

A

#### ACCESSORIES

#### Bite tug leather

Feature: with hand strap Color: mixed in colour

Article number	Measure
58196 000 00	20 x 4 cm
58196 001 00	30 x 4 cm
58196 005 00	21 x 6 cm
58196 006 00	24 x 8 cm
58196 007 00	30 x 9 cm

#### Bite tug

fire hose

Feature: with hand strap Color: white

Article number	Measure
58196 008 00	20 x 3.5 cm
58196 009 00	30 x 4 cm
58196 010 00	40 x 8 cm

#### Bite tug cotton

Feature:	with hand strap
Color:	blue-yellow
Length hand strap:	16 cm

 Article number
 Measure

 58197 050 76
 16 x 7 cm

#### made of high quality, robust and durable natural material

- different thicknesses suitable for any size dog
- Material and filling: medium
- optimal for retrieving, stimulating the prey drive or as a toy
- hand strap for secure grip and easier throwing





- made of robust, durable fire hose
- material
- different thicknesses suitable for any size dog
- material and filling: very firm
- due to the floating property of the material, very suitable as a water toy
- the smooth surface is particularly tooth-friendly and very easy to clean
- hand strap for secure grip and easier throwing

MADE IN

- made of high quality, soft and tooth-friendly cotton
- optimal for small and young dogs, for retrieving, for hunting instinct
- development or as a toy
- high quality, medium strength filling
   hand strap for secure grip and easier throwing



#### Bite tug cotton

Feature:	with two hand straps
Length hand strap:	16 cm

Article number Color

58197 051 74 red-black

58197 053 71 black-red

58197 052 77 orange-blue 31 x 8 cm



- made of high quality, soft and tooth-friendly cotton
- is suitable especially for small and medium dogs, as well as puppies
- high quality, medium strength filling
- ideal as a dog toy and for dummy worktwo hand loops for secure grip and
- easier throwing

Measure

31 x 7 cm

39 x 10 cm



 $\square$ 









Bite	tug
jute	

Feature:	with two hand straps
Color:	beige
Length hand strap:	16 cm

Article nu	mber	Measure
58197 02	100	31 x 7 cm
58197 02	2 0 0	31 x 8.5 cm
58197 02	3 00	38 x 10 cm

## made of robust, easy to clean and resistant material

- is especially suitable for large & adult dogs
- ideal as a dog toy and for dummy worktwo hand loops for secure grip and
- easier throwing

	1000
	MADE IN
	EU
1	

Feature: with hand strap

Rubber Ball elastomer

- solid material
   different diam
- different diameters suitable for every dog size
- firm knot inside the ball
- with hand strap for easy handling and facilitated casting

Article n	umber	Ø Diameter	Color
58198 0	0100	6 cm	yellow
58198 0	03 00	7.5 cm	red
58198 0	06 00	5 cm	orange

#### Soft Rubber Ball elastomer

**Feature:** with hand strap **Ø Diameter:** 6.5 cm

## Article numberColor58198 010 00yellow58198 010 74rod

5819801074 red 5819801076 blue

#### **Dog toy - Mango** natural caoutchouc

Feature: with hand strap

Article number	Size	Measure
58199 023 00	S	11 x 6 cm
58199 003 00	L	16 x 9 cm



- light material
- suitable for all breeds and sizes of dogs
- available in three highly visible colors
  due to the floating property of the
- sponge rubber, especially suitable as a water toy
- with hand strap for easy handling and facilitated casting

made of tooth-friendly, robust and
registent natural rubbar

- resistant natural rubber optimal for retrieving or as an
- employment and throwing toy can be filled with treats
- hand strap for secure grip and easier
- throwing rinse with water for cleaning, dishwasher safe if required





ƙ

#### Dog toy - Pineapple natural caoutchouc

- made of tooth-friendly, robust and resistant natural rubber
   optimal for retrieving or as an
- employment and throwing toy
- can be filled with treats
- rinse with water for cleaning, dishwasher safe if required



Article number	Size	Measure
58199 004 00	L	18 x 9 cm

#### **Retrieval Dummy - Duck** PU-foam

Feature: floating hand strap

- realistic replica mallard duck Rope at the end of the duck allows
- for a wide and accurate throwfloats on water and is tear-resistant,
- so that e.g. extensive training can be done at a lake
- scents can be used for an even more realistic training experience

Article number	Size	Measure
59450 101 00	S	22 cm
59450 102 00	Μ	30 cm
59450 103 00	L	40 cm







Rubberized leash Nylon-Polypropylen

Feature: with hand strap Width: 19 mm

Article nur	nber	Length [cm]	Color
59230	70	120 / 200	pink
59230	71	120 / 200	black
59230	73	120 / 200	green
59230	74	120 / 200	red
59230	76	120 / 200	blue
59230	77	120 / 200	neon orange
59230	81	120 / 200	neon yellow

#### **Rubberized** leash

Nylon-Polypropylen


Length: 230 cm Feature: 3-fold adjustable Width: 19 mm

Color
pink
black
green
red
blue
neon orange
neon yellow

made of tear-resistant, lightweight

30 °C

- and non-slip nylon
   available in many different colors
   Reflective stripes for increased safety and visibility in road traffic
- very easy to clean due to water repellent and quick drying properties
- 3-times adjustable



6





SPRENGER

- made of tear-resistant, lightweight and non-slip nylon
- available in many different colors Reflective stripes for increased safety
- and visibility in road traffic
   very easy to clean due to water repellent and quick drying properties
- with hand strap

#### **Rubberized** leash

Nylon-Polypropylen

Feature: without hand strap Width: 19 mm

Article number	Length	Color
59230 101 70	100 cm	pink
59230 201 70	200 cm	pink
59230 301 70	300 cm	pink
59230 101 71	100 cm	black
59230 201 71	200 cm	black
59230 301 71	300 cm	black
59230 101 73	100 cm	green
59230 201 73	200 cm	green
59230 301 73	300 cm	green
59230 101 74	100 cm	red
59230 201 74	200 cm	red
59230 301 74	300 cm	red
59230 101 76	100 cm	blue
59230 201 76	200 cm	blue
59230 301 76	300 cm	blue
59230 101 77	100 cm	neon orange
59230 201 77	200 cm	neon orange
59230 301 77	300 cm	neon orange
59230 101 81	100 cm	neon yellow
59230 201 81	200 cm	neon yellow
59230 301 81	300 cm	neon yellow



- made of tear-resistant, lightweight and non-slip nylon
- available in many different colors
- Reflective stripes for increased safety
- and visibility in road traffic
- very easy to clean due to water repellent and quick drying properties



#### Rubberized tracking-leash

Nylon-Polypropylen

Feature: without hand strap Width: 19 mm

Article number	Length	Color
59230 501 70	5 m	pink
59230 750 70	7.5 m	pink
59230 999 70	10 m	pink
59230 501 71	5 m	black
59230 750 71	7.5 m	black
59230 999 71	10 m	black
59230 501 73	5 m	green
59230 750 73	7.5 m	green
59230 999 73	10 m	green
59230 501 74	5 m	red
59230 750 74	7.5 m	red
59230 999 74	10 m	red
59230 501 76	5 m	blue
59230 750 76	7.5 m	blue
59230 999 76	10 m	blue
59230 501 77	5 m	neon orange
59230 750 77	7.5 m	neon orange
59230 999 77	10 m	neon orange
59230 501 81	5 m	neon yellow
59230 750 81	7.5 m	neon yellow
59230 999 81	10 m	neon yellow



P

- made of tear-resistant, lightweight and non-slip nylon
- available in many different colors
- Reflective stripes for increased safety and visibility in road traffic
- very easy to clean due to water
- repellent and quick drying properties ideal for tracking dogs and mantrailing







SPRENGER

Adjustable Collar polypropylene

Feature:	reflective
	with ClicLock closure (stainless steel)
Width:	20 mm

- available in many different colors
- made of tear-resistant, lightweight and non-slip nylon
  - very easy to clean due to water
  - repellent and quick drying propertiesindividually adaptable and fully
- adjustable
- Reflective stripes for increased safety and visibility in road traffic
- with high-quality ClicLock clasp made of stainless steel

Article number	Length	Color
59440 001 70	30 - 45 cm	pink
59440 002 70	40 - 55 cm	pink
59440 001 71	30 - 45 cm	black
59440 002 71	40 - 55 cm	black
59440 001 73	30 - 45 cm	green
59440 002 73	40 - 55 cm	green
59440 001 74	30 - 45 cm	red
59440 002 74	40 - 55 cm	red
59440 001 76	30 - 45 cm	blue
59440 002 76	40 - 55 cm	blue
59440 001 77	30 - 45 cm	neon orange
59440 002 77	40 - 55 cm	neon orange
59440 001 81	30 - 45 cm	neon yellow
59440 002 81	40 - 55 cm	neon yellow

#### PARACORD Collar

A

- Feature: reflective with ClicLock closure (stainless steel) Width: 30 mm
- available in many different colors
- braided from robust and tear-resistant parachute lines

30 °C

- allergen-free, vegan and durable material
- particularly easy to care for and very easy to clean due to washability
- increased safety due to the reflective properties of the collar
- with high-quality ClicLock clasp made of stainless steel



Article number	Length [cm]	Color
59340 0 77	35 / 40 / 45 / 50 / 55 / 60	neon orange
59340071	35 / 40 / 45 / 50 / 55 / 60	black
59340074	35 / 40 / 45 / 50 / 55 / 60	red
59344 0 76	35 / 40 / 45 / 50 / 55 / 60	royal blue
59341000	35 / 40 / 45 / 50 / 55 / 60	neon yellow
59342 0 00	35 / 40 / 45 / 50 / 55 / 60	pink
59343000	35 / 40 / 45 / 50 / 55 / 60	green
59344 0 00	35 / 40 / 45 / 50 / 55 / 60	light blue

#### Y-Harness - reflective

polypropylene, Neoprene

#### Feature: reflective

Article number	Color	Size
59541 001 71	black	S
59541 002 71	black	М
59541 003 71	black	L
59541 004 71	black	XL
59541 001 77	orange	S
59541 002 77	orange	М
59541 003 77	orange	L
59541 004 77	orange	XL

## 30 °C


- made of tear-resistant, lightweight nylon and durable, soft neoprene
   Fully padded with soft neoprene, gentle on long fur and high wearing comfort for short-haired dogs
   ergonomically adapted shape
   all-round reflective stripes for higher safety and better visibility in road traffic
- traffic





6





Feature: 30 mm steel tines

Dog comp Wood

Color: brown

- made of high quality smooth polished wood
- especially suitable for breeds with dense and long coat
- professional hair comb
- slim handle, especially for petite hands



**Dog comp** Wood

Feature: 30 mm steel tines Color: brown

 Article number
 Measure

 56751 001 00
 230 x 25 mm

- made of high quality smooth polished wood
- especially suitable for breeds with dense and long coat
- professional hair comb
- comfortable, thick handle shape for a nice and secure grip



#### Dog comp Wood

Feature: 30 mm steel tines Color: pink

Article number Measure

56750 000 01 230 x 25 mm

- made of high quality, smooth polished wood in the trendy color pink
- especially suitable for breeds with dense and long coat
- professional hair comb
- slim handle, especially for petite hands



#### Dog rake Wood

Feature: 20 mm steel tines, 2 rows Color: brown

- made of high quality smooth polished wood
- for grooming problem zones
- not for daily care
   comfortable, wide handle shape for a nice and secure grip

 Article number
 Measure

 57052 001 00
 163 x 55 mm

A



#### Dog rake

Wood

Feature: 20 mm steel tines, 3 rows Color: brown

Article number	Measure
57053 001 00	163 x 55 mm

- made of high quality smooth polished
- wood
- for grooming problem zones
- not for daily care
- comfortable, wide handle shape for a nice and secure grip



#### Undercoat brush

Wood, stainless steel

Feature: double-sided Color: brown

Article number Measure 5759100100 200 x 85 mm

- made of high quality stainless steel with smooth polished wooden handle
- ideal for dogs with long and thick coat the brush is suitable for removing
- stubborn tangles as well as for thinning and depilation
- comfortable, thick handle shape for a nice and secure grip



#### Dog rake

Wood

Feature: 1-row Color: brown

#### Article number Measure

5759200100 155 x 110 mm

- made of high quality steel with
- antistatic coating and smooth polished wooden handle
- ideal for removing undercoat handle, is light and comfortable in the hand



#### Dog brush

Wood

Feature: extra long metal pins Color: brown

Article number	Measure
----------------	---------

5723200100 240 x 63 mm

- made of high quality smooth polished wood
- suitable for particularly long and fine coats
- perfect for daily grooming
- comfortable, wide handle shape for a nice and secure grip



A







#### Dog brush Wood

Feature: extra thick metal pins Color: brown

Article number Measure 57233 100 00 240 x 63 mm

- made of high quality smooth polished wood
- suitable for every coat
- especially gentle to the skin, with massage effect due to the extra thick and rounded pins
- ideal for grooming young dogs
- comfortable, wide handle shape for a nice and secure grip



### Dog brush

Wood

Feature: bristles strong polypropylene and made of high quality, smooth polished brass wire Color:

- brown
  - wood with polypropylene and brass bristles especially helpful for dogs in the
  - change of coat strong bristles remove dried dirt in a
  - gentle way
    with elastic strap for a secure and
  - comfortable hold in the hand

Article number Measure 5724100100 135 x 70 mm



#### Dog brush

Wood

Feature: made from mixed bristles Color: brown

- made of high quality, smooth polished wood with natural bristles
- for easy cleaning and care of short coat, can also be used as a massage brush
- antistatic due to the natural bristles
- with elastic strap for a secure and
- comfortable hold in the hand



#### Nail Clipper with Safety-Stop

stainless steel, Wood

Feature: Wooden handle Color: brown

 Article number
 Measure

 57251 001 00
 135 x 70 mm

Article number	Length
57504 001 00	130 mm

- made of high quality, sturdy stainless steel with smooth polished wooden handle
- comfortable and safe handling
- is light and comfortable in the hand
- safety stop to regulate the cutting
  depth

Nail Clipper with Safety-Stop
stainless steel, plastic

Feature: black plastic handle Color: black

Article numberLength57504 000 55130 mm

made of high quality, sturdy stainless
steel with black plastic handle

- comfortable and safe handling
- is light and comfortable in the hand
   safety stop to regulate the cutting depth

#### Dog rake

Steel coated, plastic

Feature: 1-row Color: black


Article number	Measure
57592 000 00	155 x 110 mm

- made of high quality steel with antiotatic apating
- antistatic coating ideal for removing undercoat
- handle, is light and comfortable in the hand

6







A



### Curry comb

elastic

Feature: oval Color: blue

Article number	Measure
57132 000 76	150 x 100 mm

- made of easily cleanable, robust
- rubber especially suitable for sensitive and delicate dogs
- suitable for women's and children's hands
- effortlessly removes loose hair and dried dirt



#### Gel-Massage glove

plastic

Feature: oval double-sided Color: pastel blue

Article number	Measure
57160 002 00	115 x 150 mm

- soft, cuddly material suitable for gentle massage
- recommended for short-haired dogsideal for shampooing or training the
- grooming of puppies
- one side with fine knobs, one side with coarse knobs




#### FlexDry Dehumidifier



MADE IN GERMANY

A

- long lasting protection against moisture
- protection against rust, mold and bad smells
- ideally suitable for cars, garages and gun cabinets



#### **Diamond Paste**

Feature: 1 set = 6 tubes Color: white

Article number	content
55256 000 00	100 ml

- cleans & cares precious metals like stainless steel, silver, brass and copper
- micro fine polishing granules regenrate and conserve the gloss
- kind to the skin, non-toxic and non-acidic, free of frangrances







81 -



#### **Glove Flexgrip - Sport**

Feature: open fingertips Color: black

Article number	Size
59722 001 00	XS
59722 002 00	S
59722 003 00	М
59722 004 00	L
59722 005 00	XL
59722 006 00	XXL

#### **Glove Flexgrip - Expert**

- Feature: thumb and index finger without 🛛 🔳 comfortable stretch material on the tips Color: black
- Article number Size 5972300100 XS 5972300200 S 5972300300 M 5972300400 L 5972300500 XL 59723 006 00 XXL

#### **Glove Flexgrip - Comfort**

Feature: completely closed Color: black

Article number	Size
59724 001 00	XS
59724 002 00	S
59724 003 00	М
59724 004 00	L
59724 005 00	XL
59724 006 00	XXL


- comfortable stretch material on the back of the hand
- excellent wearing comfort, grip & flexibility
- Velcro fastener on the inside
- reinforced fingers and palms with Flexgrip for excellent abrasion resistance and increased grip
- back of the hand
- excellent wearing comfort, grip & flexibility
- Velcro fastener on the inside
- reinforced fingers and palms with Flexgrip for excellent abrasion resistance and increased grip

comfortable stretch material on the back of the hand

- excellent wearing comfort, grip &
- flexibility Velcro fastener on the inside
- reinforced fingers and palms with Flexgrip for excellent abrasion resistance and increased grip














Bracket Hook stainless steel



for short-term leashing of dogs
 must be screwed firmly to the substrate

	<b>Muzzle</b> Cordura, stainless steel black, leather	NOC IN CERMANY
	<b>Color:</b> black	<ul> <li>made of high quality, robust and lightweight Cordura</li> <li>Perfect air circulation</li> <li>saliva and drinking water residues can easily drain</li> <li>easy-care construction</li> <li>with high-quality ClicLock clasp made of stainless steel</li> </ul>
0 0 0	Article number Size	
	58201 201 71 6	
0 0	58201 202 71 7-8	
	58201 203 71 9-10	
Constant of the second of the	Throwing Chainsteel nickel platedLength: 20 cmArticle numberWire gauge58180 020 013.40 mm	<ul> <li>made of robust, nickel-plated steel in a high-gloss finish</li> <li>high pitched and sonorous through unwelded chain-links</li> <li>effects the dog's attention</li> <li>belongs in skilled hands</li> </ul>
6	Spiral stake steel chrome plated	<ul> <li>made of high quality chrome plated steel</li> <li>for short-term leashing of dogs at outdoor events, camping, etc.</li> <li>can be simply screwed into the lawn and sandy ground</li> <li>material Ø 8-9 mm</li> </ul>
$\checkmark$	55990 460 02 44 cm	

 $\square$ 



### Signal Horn

brass polished

Color: gold

Article number	Length
59551 000 30	27 cm


- made of sturdy brass in a high-gloss
- look
- popular tool in dog training
   strong and clear sound
- with chain





**Run-Block** stainless steel Rost frei

- individual parts made of high quality stainless steel
- also suitable for strong dogs
- three additional fixing poles for stabilizing the block Ø 10 mm
- 360° turntable with welded eye as lashing point
- can be hammered into the ground




SOS-Clips

plastic

Feature: 1 box = 100 pieces Color: mixed in colour

Article number	Measure	
63515 000 00	38 x 25 mm	

- water-resistant
- light & silent
- self-labeling
- can be used as a dog tag, but also for sports and travel bags





 $\square$ 






Caps for training collars	
plastic	

Feature: 1 set = 30 pieces Color: black

Article number	Wire gauge
50005 001 71	2.25 mm
50005 002 71	3.20 mm
50005 003 71	4.00 mm







#### Cover for ULTRA-PLUS Training Collars Nylon-Polypropylen

Color: camouflage desert

- easy cleaning
- attractive design
- durable with velcro fastener

Article number	Length	Width
59209 329 00	29.5 cm	25 mm
59209 339 00	39.5 cm	25 mm
59209 340 00	40 cm	30 mm
59209 346 00	46.5 cm	30 mm
59209 348 00	47.5 cm	35 mm

#### Cover for ULTRA-PLUS Training Collars Nylon-Polypropylen

Color: camouflage green

- easy cleaning
- attractive design
- durable
- with velcro fastener

Article number	Length	Width
59209 229 00	29.5 cm	25 mm
59209 239 00	39.5 cm	25 mm
59209 240 00	40 cm	30 mm
59209 246 00	46.5 cm	30 mm
59209 248 00	47.5 cm	35 mm

Article number Length Width 5920902971 29.5 cm 25 mm 5920903971 39.5 cm 25 mm 5920904071 40 cm 30 mm 5920904671 46.5 cm 30 mm 59209 248 71 47.5 cm 40 mm

#### Cover for ULTRA-PLUS Training Collars

Nylon-Polypropylen

Color: black

- easy cleaning
- attractive design
- durable
- with velcro fastener

P

#### Cover for ULTRA-PLUS Training Collars

Nylon-Polypropylen

#### Feature: reflective Color: black


Article number	Length	Width
59209 129 71	29.5 cm	25 mm
59209 139 71	39.5 cm	25 mm
59209 140 71	40 cm	30 mm
59209 146 71	46.5 cm	30 mm
59209 148 71	47.5 cm	35 mm

- easy cleaning
  - attractive design
  - durable

easy cleaning
 attractive design
 durable

with velcro fastener

with velcro fastener



#### Cover for ULTRA-PLUS Training Collars

Nylon-Polypropylen

Color: red

 Article number
 Length
 Width

 59209 029 74
 29.5 cm
 25 mm

 59209 039 74
 39.5 cm
 25 mm

 59209 040 74
 40 cm
 30 mm

 59209 046 74
 46.5 cm
 30 mm

 59209 248 74
 47.5 cm
 35 mm

#### Cover for ULTRA-PLUS Training Collars Nylon-Polypropylen

Feature: reflective Color: brown

Article number	Length	Width
59209 129 75	29.5 cm	25 mm
59209 139 75	39.5 cm	25 mm
59209 140 75	40 cm	30 mm
59209 146 75	46.5 cm	30 mm
59209 148 75	47.5 cm	35 mm


- easy cleaning
- attractive design
- durable


easy cleaningattractive designdurable

with velcro fastener

with velcro fastener







#### Cover for ULTRA-PLUS Training Collars

Nylon-Polypropylen

Color: blue

- 86

Article number	Length	Width
59209 029 76	29.5 cm	25 mm
59209 039 76	39.5 cm	25 mm
59209 040 76	40 cm	30 mm
59209 046 76	46.5 cm	30 mm
59209 248 76	47.5 cm	35 mm
59209 046 76	46.5 cm	30 mm


P





A





# HARDWARE

SPRENGER offers a wide range of compatible fittings made of various materials and surfaces.

The fittings and assembly chains shown represent simply our standard program.

Due to our own construction department we are able to realize special metal fittings as well as pull-through chains and chain pieces on customer's request.

The minimum order quantity is 100 pieces, but can be higher depending on the article, material, surface and complexity. After receiving your detailed inquiry, we will be pleased to verify

the feasibility and provide you with an offer adapted to your needs.

Herm, Grenger

HANDCRAFTED FOR DOGSPORTS SINCE 1872

A

#### ClicLock Safety Lock

stainless steel

Article number	Length	Breaking Load	Feature	Inner width
60150 020 55	65 mm	200 kg	with D-Ring	21 mm
60151 020 55	65 mm	200 kg	without D-Ring	21 mm



#### ClicLock Safety Lock stainless steel matt

Article number	Length	Breaking Load	Feature	Inner width
60150 020 65	65 mm	200 kg	with D-Ring	21 mm
60151 020 65	65 mm	200 kg	without D-Ring	21 mm



#### ClicLock Safety Lock stainless steel black

Article number	Length	Breaking Load	Feature	Inner width
60150 020 57	65 mm	200 kg	with D-Ring	21 mm
60151 020 57	65 mm	200 kg	without D-Ring	21 mm



ClicLock Safety Lock



 $\square$ 

SINCE OF LETE

ADE IN INCE UT72

PERMAN<sup>3</sup>

Rost

SINCE STREET

Rost

MATT

Rost

stainless steel black matt

Article number	Length	Breaking Load	Feature	Inner width
60150 020 66	65 mm	200 kg	with D-Ring	21 mm
60151 020 66	65 mm	200 kg	without D-Ring	21 mm





Rost frei



Feature: without D-Ring

stainless steel

ClicLock fastener for prong collars

easy apply of the prong collar due to the ClicLock

Article number	Length	Wire gauge	Breaking Load
60155 322 55	65 mm	2.25 mm	200 kg
60155 332 55	65 mm	3.00 mm 3.20 mm	200 kg
60155 340 55	65 mm	4.00 mm	200 kg

ClicLock fastener with Sliding Bar stainless steel



	SPRENCER	HEOMALIAS
--	----------	-----------

Article number	Length	Breaking Load	Inner width
60153 020 55	65 mm	200 kg	21 mm





## Assembly Chain stainless steel

Feature: 1 round ring & 2 d-rings

- further varieties on request
   100 pieces minimum order quant
- 100 pieces minimum order quantity for custom-made products

Article number	Length	Wire gauge	D-Rings
51342 021 55	21 cm	2.00 mm	20 x 3.2 mm
51170 021 55	21 cm	3.00 mm	30 x 4 mm
51183 018 55	18 cm	3.00 mm	25 x 4 mm

#### Assembly Chain

stainless steel

P



Feature: 3 round rings

- further varieties on request
   100 pieces minimum order quantity for custom-made products
- Article number
   Length
   Wire gauge
   D-Rings

   50917 021 55
   21 cm
   2.50 mm
   25 x 4 mm

   51309 021 55
   21 cm
   2.00 mm
   16 x 3 mm

ƙ

#### SPRENGER Hook

stainless steel

Feature: with round eye

Article number	Length	Breaking Load	Inner widt
60250 045 55	45 mm	210 kg	11 mm
60250 055 55	55 mm	260 kg	16 mm
60250 155 55	60 mm	260 kg	20 mm
60250 075 55	75 mm	500 kg	20 mm

PADE IN SINCE STORE	Rost

- stamped componentshigh strengths
- stable & durable
- h

classic version strong latchrobust & durable



#### Snap Hook

stainless steel

Article number	Length	Inner width
60490 065 55	67 mm	10 mm
60490 075 55	75 mm	15 mm
60490 165 55	69 mm	10 mm
60490 085 55	85 mm	15 mm
60490 090 55	92 mm	19 mm

#### Scissor Snap Hook

stainless steel

Feature: with round eye

Article number	Length	Inner width
68200 011 56	65 mm	11 mm
68200 014 56	68 mm	14 mm
68200 016 56	70 mm	16 mm
68200 019 56	75 mm	19 mm
68200 025 56	80 mm	25 mm

#### extra wide opening safe and simple operating

robust & durable



Rost



Snap Hook

stainless steel

Feature: with firm eye

Article number Length Inner width 66053 035 56 35 mm 7 mm



Ø





Rost frei

Rost frei

Rost frei



 stainless steel

 Feature: with swivel

 Article number
 Length
 Breaking Load
 Inner width

 66054 070 56
 70 mm
 1140 kg
 12 mm

Snap Hook

Shackle stainless steel

Buckle stainless steel Feature: casted

 Article number
 Inner width

 63560 014 56
 14 mm

 63560 016 56
 16 mm

 63560 020 56
 20 mm

 63560 025 56
 25 mm


 63560 029 56
 29 mm

Feature: forged









### Roller Buckle

#### stainless steel

Feature: casted

Article number	Inner width
66530 016 56	16 mm
66530 020 56	20 mm
66530 026 56	26 mm
66530 036 56	36 mm



sturdy version

captive bolt

further versions on request

Rost frei

sturdy version

#### D-Ring

ƙ

stainless steel

#### Feature: welded

Article number	Wire gauge	Inner width
69520 015 56	3.00 mm	15 mm
69520 020 56	3.00 mm	20 mm
69520 025 56	4.00 mm	25 mm
69520 030 56	4.00 mm	30 mm
69520 035 56	4.00 mm	35 mm





Ring

stainless steel

#### Feature: welded

Article number	Wire gauge	Inner width
69524 016 56	3.00 mm	16 mm
69524 020 56	3.00 mm	20 mm
69524 025 56	4.00 mm	25 mm
69524 030 56	4.00 mm	30 mm

Rost





#### **Double Swivel** stainless steel

Feature: stamped

stable stamped components eminently strong

Article number	Length	Breaking Load	Inner width
63000 016 55	40 mm	300 kg	16 mm
63000 021 55	63 mm	600 kg	21 mm





### **Assembly Chain**

steel nickel plated

Feature: 3 round rings



Ø

- further varieties on request100 pieces minimum order quantity for custom-made products

Article number	Length	Rings	Ø Chain
50207 015 01	15 cm	10 x 2 mm	1.35 mm
50707 014 01	14 cm	14 x 2 mm	1.50 mm
51309 021 01	21 cm	16 x 3 mm	2.00 mm
50917 021 01	21 cm	25 x 4 mm	2.50 mm
51186 021 01	21 cm	20 x 3.2 mm	3.00 mm











Assembly Chain steel nickel plated

Feature: 1 round ring & 2 d-rings

further varieties on request100 pieces minimum order quantity for

custom-made products

Article number	Length	D-Rings	Ø Chain
50705 020 01	20 cm	14 x 2.5 mm	1.50 mm
50815 021 01	21 cm	20 x 3.2 mm	2.00 mm
50816 021 01	21 cm	14 x 2.5 mm	2.00 mm
51312 021 01	21 cm	20 x 3.2 mm	2.50 mm
50916 021 01	21 cm	25 x 3.4 mm	2.50 mm

#### SPRENGER Hook

steel nickel plated



Feature: with round eye

- stamped components
  - high strengthsstable & durable
- Article number
   Length
   Breaking Load
   Inner width

   60250 045 01
   45 mm
   100 kg
   11 mm

   60250 055 01
   55 mm
   150 kg
   15 mm

   60250 075 01
   75 mm
   450 kg
   20 mm

#### SPRENGER Scissor Snap Hook steel nickel plated



- simple leashing of the dog
- no opening of the scissor snap hook under tension

Article number	Length	Inner width
6002004001	40 mm	10 mm
60020 050 01	50 mm	11 mm
60020 060 01	60 mm	14 mm
60020 070 01	70 mm	16 mm
60020 085 01	85 mm	20 mm

### SPRENGER Scissor Snap Hook

Article number Length Inner width

50 mm

60 mm

600200700270mm 16 mm 600200850285 mm 20 mm

11 mm

14 mm

steel chrome plated



SHEE ST

- with welded swivel
- simple leashing of the dog
- no opening of the scissor snap hook under tension

6

60020 050 02

60020 060 02

#### SPRENGER Scissor Snap Hook

Feature: with doubled spring

- extra strong
- for accordingly durable leashes
- welded swivel

Article number	Length	Inner width	Quality
60050 090 01	90 mm	22 mm	steel nickel plated
60050 090 02	90 mm	22 mm	steel chrome plated



#### SPRENGER Hunting Leash Hook

steel nickel plated

Feature: 2 firm eyes

Art

ticle number	Length	Inner width
060 015 01	90 mm	15 mm

6006001501 8	00 mm	10 mm
6006002001 9	90 mm	20 mm

# SALE DISTO

- stable stamped components connecting element between hunting
- leash & collar
- robust & durable



#### SPRENGER Hunting Leash Hook steel nickel plated

Feature: with 1 swivel and 1 firm eye

- SHEE 5 1872
- $\blacksquare$  stable stamped components
- connecting element between hunting
- leash & collar robust & durable

Article number	Length	Inner width
60065 015 01	102 mm	15 mm
60065 020 01	102 mm	20 mm



#### Snap Hook

steel nickel plated

<b>ire:</b> malleable iron
<b>ire:</b> malleable iron

Article number	Length	Inner width
60400 014 01	78 mm	14 mm
60400 016 01	87 mm	16 mm
60400 019 01	93 mm	19 mm









P





Feature: welded

Article number	Inner width
69510 012 01	12 mm
69510 014 01	14 mm
69510 016 01	16 mm
69510 020 01	20 mm
69510 025 01	25 mm



SPRENGER

with roller and pin





SHEE DE 187



# **D-Ring** steel nickel plated

Feature: welded

Article number	Wire gauge	Inner width
69520 014 01	2.40 mm	14 mm
69520 016 01	2.60 mm	16 mm
69520 020 01	3.00 mm	20 mm
69520 025 01	3.40 mm	25 mm





# **Ring with Bar** steel nickel plated

Feature: welded

Article number	Wire gauge	Inner width
69523 010 01	2.00 mm	10 mm
69523 014 01	2.50 mm	14 mm
69523 016 01	3.00 mm	16 mm
69523 018 01	3.00 mm	18 mm
69523 020 01	3.20 mm	20 mm
69523 025 01	4.00 mm	25 mm

welded bar

**Ring** steel nickel plated

Feature: welded

Article number	Wire gauge	Inner width
69524 016 01	2.60 mm	16 mm
69524 018 01	2.60 mm	18 mm
69524 020 01	3.00 mm	20 mm
69524 022 01	3.20 mm	22 mm
69524 025 01	3.50 mm	25 mm
69524 027 01	3.50 mm	27 mm
69524 030 01	4.00 mm	30 mm



 $\square$ 



#### HARDWARE

#### Loop

steel nickel plated

Feature: non-welded

Article number	Inner width
69514 012 01	12 mm
69514 014 01	14 mm
69514 016 01	16 mm
69514 020 01	20 mm
69514 025 01	25 mm

light version



#### Double Swivel

steel nickel plated

#### Feature: stamped

Article number	Inner width
63000 010 01	10 mm
63000 014 01	14 mm
63000 016 01	16 mm
63000 018 01	18 mm
63000 025 01	25 mm



stable stamped components eminently strong





- suitable for individual adaptation of a tension limit for medium and long link collars
- very stable design in the inner widths 25, 30 and 32 mm



Article number	Wire gauge	Inner width
55950 009 01	0.80 mm	7.5 mm
55950 012 01	0.75 mm	10 mm
55950 018 01	1.20 mm	15 mm
55950 025 01	2.00 mm	19 mm
55950 030 01	2.50 mm	23 mm
55950 032 01	2.50 mm	24 mm

#### Little Bell

steel nickel plated

Article number	Inner width
63700 012 01	12 mm
63700 015 01	15 mm
63700 018 01	18 mm





63000	(

Key ring

steel nickel plated

Ø





#### Snap-Hook zinc die-casting, nickel plated

Feature: with round eye

Article number	Length	Inner width
60490 050 45	50 mm	11 mm
60490 065 45	65 mm	13 mm
60490 075 45	75 mm	13 mm
60490 080 45	80 mm	16 mm
60490 085 45	85 mm	20 mm
60491 090 45	90 mm	20 mm

classic versionstrong latch

classic version strong latch

SPRENGER

#### Snap-Hook

zinc die-casting, nickel plated

Feature: with angular eye

Article number	Length	Inner width
60493 016 45	77 mm	16 mm
60493 019 45	77 mm	19 mm
60493 025 45	77 mm	25 mm

Article number	BreakingLoad	П
zinc die-casting	, nickel plated	

**Click Closure** 

Al licie number	Breaking Load	inner width
59146 002 45	125 kg	15 mm
59146 001 45	180 kg	19 mm
59146 000 45	200 kg	25 mm



#### Slide

zinc die-casting, nickel plated

Article number	Inner width
59147 012 45	12 mm
59147 015 45	15 mm
59147 020 45	19 mm
59147 025 45	25 mm
59147 050 45	50 mm

Ø

#### 99 -

#### SPRENGER Hook

stainless steel black

Feature: with round eye

Article number	Length	Breaking Load	Inner width
60250 045 57	45 mm	500 kg	11 mm
60250 055 57	55 mm	500 kg	16 mm
60250 155 57	155 mm	500 kg	21 mm
60250 075 57	75 mm	500 kg	21 mm

Rost

Rost

- stamped components
  high strengths
  stable & durable

classic version strong latchrobust & durable

	Ī	
	U	

#### Snap Hook

stainless steel black

Article number	Length	Inner width
60490 065 57	69 mm	12 mm
60490 075 57	79 mm	15 mm
60490 165 57	70 mm	12 mm
60490 085 57	85 mm	15 mm
60490 090 57	92 mm	19 mm

#### Scissor Snap Hook

Stainless steel black resine

 extra	wide	openii	ng
 oofo	and ai	mpla	

safe and simple operating
 robust & durable

Article number	Length	Inner width
68200 011 00	65 mm	11 mm

#### Buckle

stainless steel black

Feature: casted

Article number	Inner width
63560 014 57	14 mm
63560 016 57	16 mm
63560 020 57	20 mm
63560 025 57	25 mm
63560 029 57	29 mm

sturdy version









A



Roller Buckle stainless steel black

Feature: casted

Article number	Inner width
66530 016 57	16 mm
66530 020 57	20 mm
66530 026 57	26 mm
66530 036 57	36 mm



sturdy version

Rost frei



Rost frei



**D-Ring** stainless steel black

Feature: welded

Article number	Wire gauge	Inner width
69520 015 57	3.00 mm	15 mm
69520 020 57	3.00 mm	20 mm
69520 025 57	4.00 mm	25 mm
69520 030 57	4.00 mm	30 mm
69520 035 57	4.00 mm	35 mm





### Ring stainless steel black

Feature: welded

Article number	Wire gauge	Inner width
69524 016 57	3.00 mm	16 mm
69524 020 57	3.00 mm	20 mm
69524 025 57	4.00 mm	25 mm
69524 030 57	4.00 mm	30 mm

#### Double Swivel

stainless steel black

Feature: stamped

Article number	Length	Breaking Load	Inner width
63000 016 57	40 mm	300 kg	16 mm
63000 021 57	63 mm	600 kg	21 mm





 $\square$ 

### Snap Hook

ƙ

brass polished

Article number	Length	Inner width
60490 055 33	55 mm	11 mm
60490 065 33	63 mm	13 mm
60490 075 33	80 mm	17 mm
60490 080 33	80 mm	20 mm
60490 085 33	87 mm	20 mm
60490 090 33	89 mm	25 mm

# classic versionstrong latchrobust & durable



#### Scissor Snap Hook

brass polished

- extra wide opening safe and simple operating
   robust & durable

Article number	Length	Feature	Inner width
68200 013 33	63 mm	with round eye	13 mm
68200 016 33	63 mm	with round eye	16 mm
68200 017 33	63 mm	with angular eye	17 mm





#### brass polished

Feature: casted

Article number	Inner width
63560 016 33	16 mm
63560 020 33	20 mm
63560 025 33	25 mm
63560 029 33	29 mm
63560 035 33	35 mm

**Roller Buckle** brass polished

Feature: casted

Article number	Inner width
69509 016 33	16 mm
69509 020 33	20 mm
69509 025 33	25 mm

sturdy version



sturdy version



SALE OF



Ø

#### HARDWARE





#### D-Ring

brass polished

Feature: casted

Article number	Wire gauge	Inner width
63220 014 33	2.50 mm	14 mm
63220 016 33	2.50 mm	16 mm
63220 020 33	4.00 mm	20 mm
63220 025 33	4.50 mm	25 mm
63220 029 33	4.50 mm	29 mm
63220 035 33	4.50 mm	35 mm

#### Ring

brass polished



SHEE SHE

Rost frei

#### Feature: casted

Article number	Wire gauge	Inner width
69525 016 33	4.00 mm	16 mm
69525 021 33	3.00 mm	21 mm
69525 025 33	4.00 mm	25 mm
69525 030 33	4.80 mm	30 mm





# **Swivel** brass polished

Feature: casted

#### . .

heavy version

leather washer between swivel and plate

classic use on bloodhound collars

Article number	Drillings	Inner width	Plate
63002 017 33	4.1 mm	17 mm	17 mm
63002 020 33	4.2 mm	20 mm	26 mm
63002 025 33	4.5 mm	25 mm	27 mm
63002 030 33	4.5 mm	30 mm	27 mm

#### Power-Hole-Punch

Article numberLength57507 002 0025 cm

Color: black

 made of high quality stainless steel with plastic handle



for easy processing of leather70% power saving compared to

- conventional punch pliers
- faster wear of pipes with plastics such as Biothane<sup>®</sup>





6



CHAIN TYPE		ARTICLES
	<b>1.00 mm</b> round	
	<b>1.35 mm</b> round	50201
	<b>1.50 mm</b> round	50781, 50702, 51900, 51950, 52150
	<b>1.50 mm</b> flat	50722
<u>()                                    </u>	<b>2.00 mm</b> round	50803, 51336, 51927, 52200, 53465
	<b>2.00 mm</b> flat	50881, 50883, 50822
<u>C                                    </u>	<b>2.50 mm</b> round	50903, 50906, 50908, 51949, 52304
<u>CONNERRO</u>	<b>2.50 mm</b> flat	
<u>CEEEEEE</u>	<b>3.00 mm</b> round	51113, 51112, 51950, 51955, 51984, 52420, 52403, 54100
CORRECT SOL	<b>3.00 mm</b> flat	
<u>(19999999</u> )	<b>3.00 mm</b> round narrow	
<u> </u>	<b>3.00 mm</b> flat narrow	51025
555555	<b>4.00 mm</b> round narrow	51391
CERE	<b>4.00 mm</b> round	51381, 51993, 55711
	<b>5.00 mm</b> round	51401
	6	

ARTICLES		CHAIN TYPE
51451	<b>2.00 mm</b> long	$\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$
51520	<b>3.00 mm</b> medium	CRESSE
51541, 51547, 52540, 51544, 51545, 52547, 51530	<b>3.00 mm</b> medium	Coror
51506, 51516, 51514	<b>3.00 mm</b> extra long	
51553	<b>3.00 mm</b> long	
51629, 51620	<b>3.40 mm</b> medium	CRERT
51641, 51647, 52647	<b>4.00 mm</b> medium	CR 5 K
51663, 51682	<b>4.00 mm</b> long	CR 5
51604, 51614, 51616	<b>4.00 mm</b> extra long	Q
51741	<b>5.00 mm</b> medium	RERE
51763	<b>5.00 mm</b> long	6 6
	6	10

### AUGMENTED REALITY





EXPERIENCE OUR PRODUCTS IN AUGMENTED REALITY [AR]



M



SCAN TO VIEW OUR TERMS & CONDITIONS



HERM. SPRENGER GERMANY

HERM. SPRENGER USA

S




6

IOTES

)




6

SPRENGER	NOTES

111 —

S




SPRENGER	NOTES




6



### FOLLOW US ON INSTAGRAM ()



sprenger\_dogsports Iserlohn



;



**sprenger\_dogsports** Curogan-Details #sprenger #hermsprenger #curogan #doglover #dogtraining #curogancollar #dogsport #instadog #collar

View all 46 comments



Herm. Sprenger Metallwarenfabrik GmbH & Co. KG Herm. Sprenger N.A. LP

Alexanderstraße 10–21 · 58644 Iserlohn · Germany

Phone +49 (0) 23 71 95 59-0 hundesport@sprenger.de www.sprenger.de 43 Everts Avenue · Queensbury · New York · USA

Phone +1 (518) 804-0229 contact@hermsprengerusa.com www.hermsprengerusa.com